

附表 3 地点別、深度別底質粒成分類表

(単位%) (単位g)

深度	地点 種別	1		2		3		4		5	
		重 量	%	重 量	%	重 量	%	重 量	%	重 量	%
1	4.0 以上	-		173.0	47.3	-		-		-	
	2.0 "	-		36.0	9.8	-		採		-	
	1.0 "	-	S	45.0	12.3	GS		-	R	-	R
	0.5 "	6.0	2.3	43.0	11.7	2.0	0.9	-		-	
	0.5 以下	255.0	97.7	69.0	18.7	225.0	99.1	泥		-	
	計	261.0		366.0		227.0					
2	4.0 以上	-		-		-		-		-	
	2.0 "	-		-		-		不		-	
	1.0 "	2.0	0.9	4.0	1.9	-		-	R	-	R
	0.5 "	8.0	3.3	4.0	1.9	-		-		-	
	0.5 以下	229.0	95.8	203.0	96.2	288.0	100.0	-		-	
	計	239.0		211.0		288.0					
3	4.0 以上	1.0	0.4	-		-		-		10.0	3.4
	2.0 "	2.0	0.8	-		-		能		45.0	15.5
	1.0 "	1.0	0.4	4.0	1.8	-		-	R	82.0	28.3
	0.5 "	6.0	2.3	35.0	15.5	-		-		126.0	43.5
	0.5 以下	247.0	96.1	187.0	82.7	246.0	100.0	-		27.0	9.3
	計	257.0		226.0		246.0				290.0	
4	4.0 以上	-		-		-		27.0	10.9	-	
	2.0 "	-		9.0	4.5	-		15.0	6.1	-	
	1.0 "	1.0	0.3	13.0	6.4	-		16.0	6.5	1.0	0.4
	0.5 "	8.0	2.8	24.0	11.8	-		18.0	7.3	172.0	73.5
	0.5 以下	278.0	96.9	157.0	77.3	236.0	100.0	171.0	69.2	61.0	26.1
	計	287.0		203.0		236.0		247.0		234.0	
5	4.0 以上	-		-		-		32.0	13.6	-	
	2.0 "	-		3.0	1.4	-		30.0	12.6	-	
	1.0 "	1.0	0.5	6.0	2.7	-		50.0	21.6	-	
	0.5 "	227.0	12.9	29.0	13.2	-		74.0	31.2	3.0	1.8
	0.5 以下	181.0	86.6	182.0	82.7	192.0	100.0	51.0	21.5	163.0	98.2
	計	209.0		220.0		192.0		237.0			
7	4.0 以上	-		-		-		-		-	
	2.0 "	-		2.0	0.9	-		-		-	
	1.0 "	-	SM	22.0	9.5	-		-	SM	-	
	0.5 "	6.0	3.7	64.0	27.6	-		2.0	1.2	欠	
	0.5 以下	155.0	96.3	144.0	62.0	153.0	100.0	168.0	98.8	測	
	計	161.0		232.0		153.0		170.0			

(単位%) (単位g)

深度	地点 分類	6			7			8			9			10		
		重 量	%		重 量	%		重 量	%		重 量	%		重 量	%	
1	4.0 以上	-			-			-			19.0	8.2		-		
	2.0 "	採	-		採	-		-			19.0	8.2		-		
	1.0 "	-		R	泥	-	R	採	-	R	46.0	19.9	S	-		S
	0.5 "	-			不	-		-			54.0	23.4		26.0	10.9	
	0.5 以下	泥	-		能	-		-			93.0	40.3		213.0	89.1	
	計										231.0			239.0		
2	4.0 以上	-			2.0	0.7		泥	-		-			-		
	2.0 "	不	-		17.0	6.0		-			-			-		
	1.0 "	-		R	50.0	17.7	GS	-		R	-		S	-		S
	0.5 "	-			146.0	51.6		-			20.0	9.4		4.0	2.0	
	0.5 以下	能	-		68.0	24.0		-			192.0	90.6		196.0	98.0	
	計				283.0			不			212.0			200.0		
3	4.0 以上	4.0	1.4		3.0	1.3		-			-			-		
	2.0 "	33.0	11.9		15.0	6.7		-			-			-		
	1.0 "	103.0	37.2	S	48.0	21.4	GS	-		R	-		S	-		SM
	0.5 "	116.0	41.9		124.0	55.4		能	-		9.0	4.1		-		
	0.5 以下	21.0	7.6		34.0	15.2		-			211.0	95.9		145.0	100.0	
	計	277.0			224.0						220.0			145.0		
4	4.0 以上	2.0	1.0		7.0	2.7		14.0	5.3		-			-		
	2.0 "	20.0	10.3		44.0	16.8		73.0	27.7		-			-		
	1.0 "	96.0	49.5	S	74.0	28.4	S	125.0	47.5	SM	-		S	-		SM
	0.5 "	65.0	33.5		100.0	38.3		43.0	16.4		3.0	1.8		-		
	0.5 以下	11.0	5.7		36.0	13.8		8.0	3.1		168.0	98.2		150.0	100.0	
	計	194.0			261.0			263.0			171.0			150.0		
5	4.0 以上	11.0	3.5		4.0	1.5		9.0	5.7		-			-		
	2.0 "	51.0	16.2		23.0	8.8		46.0	29.5		-			-		
	1.0 "	118.0	37.3	SM	72.0	27.5	S	63.0	40.4	SM	-		SM	-		SM
	0.5 "	106.0	33.5		63.0	24.0		21.0	13.5		2.0	1.1		-		
	0.5 以下	30.0	9.5		100.0	38.2		17.0	10.9		181.0	98.9		183.0	100.0	
	計	316.0			262.0			156.0			183.0			183.0		
7	4.0 以上				-			-			-			-		
	2.0 "	欠			1.0	0.6		-			-			-		
	1.0 "				5.0	3.2	SM	7.0	6.1	M	-		M	-		M
	0.5 "				8.0	5.1		13.0	11.3		4.0	2.1		-		
	0.5 以下	測			143.0	91.1		95.0	82.6		190.0	97.9		165.0	100.0	
	計				157.0			115.0			194.0			165.0		

(単位%) (単位g)

深度	地点 区分 種類	11		12		13		14		15	
		重量	%	重量	%	重量	%	重量	%	重量	%
1	4.0 以上	249.0	6.01	8.0	3.2			323.0	8.92	48.0	2.53
	2.0 "	44.0	1.06	25.0	10.0			29.0	8.0	32.0	1.68
	1.0 "	27.0	6.5	50.0	20.1	測点なし		8.0	2.2	16.0	8.4
	0.5 "	35.0	8.5	97.0	39.0			1.0	0.3	12.0	6.3
	0.5 以下	59.0	14.3	69.0	27.7			1.0	0.3	82.0	43.2
	計	414.0		249.0				362.0		190.0	
2	4.0 以上	2.0	0.8	-		-		11.0	13.9	1.0	0.4
	2.0 "	3.0	1.2	-		4.0	2.3	8.0	10.1	-	
	1.0 "	6.0	2.3	1.0	0.4	7.0	4.0	7.0	8.9	4.0	1.7
	0.5 "	33.0	12.8	10.0	4.3	6.0	3.4	15.0	19.0	11.0	4.7
	0.5 以下	214.0	82.9	219.0	95.3	158.0	90.3	38.0	48.1	219.0	93.2
	計	258.0		230.0		175.0		79.0		235.0	
3	4.0 以上	2.0	0.7	-		-		-		39.0	18.9
	2.0 "	4.0	1.5	-		4.0	1.9	-		26.0	11.9
	1.0 "	6.0	2.2	1.0	0.5	8.0	3.7	4.0	2.5	21.0	9.7
	0.5 "	24.0	8.8	8.0	3.6	8.0	3.7	11.0	7.0	41.0	18.9
	0.5 以下	237.0	86.8	213.0	95.9	194.0	90.7	143.0	90.5	90.0	41.5
	計	273.0		222.0		214.0		158.0		217.0	
4	4.0 以上	-		-		-		-		-	
	2.0 "	2.0	1.0	-		2.0	1.1	-		4.0	1.7
	1.0 "	5.0	2.5	-		4.0	2.2	-		22.0	9.6
	0.5 "	20.0	10.0	2.0	1.1	5.0	2.7	9.0	4.3	71.0	31.0
	0.5 以下	173.0	86.5	177.0	98.9	174.0	94.0	200.0	95.7	132.0	57.7
	計	200.0		179.0		185.0		209.0		229.0	
5	4.0 以上	-		-		12.0	5.4	-		-	
	2.0 "	-		-		24.0	10.8	-		-	
	1.0 "	5.0	2.2	3.0	2.1	33.0	14.9	-		-	
	0.5 "	28.0	12.5	6.0	4.1	57.0	25.7	4.0	1.9	-	
	0.5 以下	192.0	85.3	136.0	93.8	96.0	43.2	211.0	98.1	169.0	100.0
	計	225.0		145.0		222.0		215.0		169.0	
7	4.0 以上	-		-		-		-		-	
	2.0 "	-		-		-		-		-	
	1.0 "	1.0	0.5	-		-		-		-	
	0.5 "	2.0	1.0	5.0	3.1	-		-		-	
	0.5 以下	196.0	98.5	158.0	96.9	178.0	100.0	測点なし		測点なし	
	計	199.0		163.0		178.0					

(単位%) (単位g)

深度	種別	16		17		18		19		20	
		重量	%	重量	%	重量	%	重量	%	重量	%
1	4.0' 以上	-		-		-		採泥不能		欠測	
	2.0 "	-		-		-					
	1.0 "	-		-		-					
	0.5 "	5.0	14.7	-		-					
	0.5 以下	29.0	85.3	82.0	100.0	161.0	100.0				
	計	34.0		82.0		161.0					
2	4.0 以上	-		-		-		1.0	1.0	54.0	35.8
	2.0 "	-		-		-		1.0	1.0	15.0	9.9
	1.0 "	-		-		-		6.0	5.7	13.0	8.6
	0.5 "	-		-		-		6.0	5.7	16.0	10.6
	0.5 以下	105.0	100.0	190.0	100.0	156.0	100.0	91.0	86.6	53.0	35.1
	計	105.0		190.0		156.0		105.0		151.0	
3	60.0 以上	-		-		-		37.0	18.0	-	
	4.0 "	-		197.0	62.5	84.0	28.0	-		18.0	12.5
	2.0 "	-		90.0	28.6	89.0	29.3	1.0	0.5	7.0	4.9
	1.0 "	-		22.0	7.0	66.0	21.7	2.0	1.0	11.0	7.6
	0.5 "	-		5.0	1.6	39.0	12.8	9.0	4.4	15.0	10.4
	0.5 以下	144.0	100.0	1.0	0.3	25.0	8.2	156.0	76.1	93.0	64.6
4	計	144.0		315.0		303.0		205.0		144.0	
	60.0 以上	-		73.1	43.5	-		-		-	
	4.0 "	-		33.0	19.6	125.0	46.6	3.0	1.6	9.0	8.3
	2.0 "	-		21.0	12.5	44.0	16.5	3.0	1.6	8.0	7.3
	1.0 "	-		18.0	10.7	41.0	15.3	13.0	7.1	17.0	15.6
	0.5 "	-		13.0	7.7	33.0	12.3	35.0	18.9	16.0	14.7
5	0.5 以下	114.0	100.0	10.0	6.0	25.0	9.3	131.0	70.8	59.0	54.1
	計	114.0		168.0		268.0		185.0		109.0	
	4.0 以上	-		測		測		測		測	
	2.0 "	-									
	1.0 "	-									
	0.5 "	-	100.0								
7	0.5 以下	95.0		点		点		点		点	
	計	95.0									
	4.0 以上	-		な		な		な		な	
	2.0 "	測点なし									
	1.0 "										
	0.5 "										
7	0.5 以下			し		し		し		し	
	計										

(単位%) (単位g)

深度	地点 種別	21			22			23			24			25		
		重 量	%		重 量	%		重 量	%		重 量	%		重 量	%	
1	60.0以上	-			-			208.0	55.4		-			-		
	4.0 "	-			36.0	23.5		158.0	42.1		-			-		
	2.0 "	3.0	2.0	SM	28.0	18.3	GS	3.0	0.8	G	-		SM	-		S
	1.0 "	9.0	5.9		31.0	20.3		1.0	0.3		2.0	1.0		-		
	0.5 "	8.0	5.3		27.0	17.6		1.0	0.3		5.0	2.4		-		
	0.5 以下	132.0	86.8		31.0	20.3		4.0	1.1		200.0	96.6		170.0	100.0	
	計	152.0			153.0			375.0			207.0			170.0		
2	60.0以上	-			25.0	22.1		59.0	23.1		-			-		
	4.0 "	-			2.0	1.8		23.0	9.0		-			-		
	2.0 "	1.0	0.8	M	2.0	1.8	GS	2.0	0.8	GS	-		SM	-		S
	1.0 "	1.0	0.8		4.0	3.5		4.0	1.6		3.0	1.2		-		
	0.5 "	7.0	5.8		13.0	11.5		11.0	4.3		6.0	2.4		2.0	1.1	
	0.5 以下	113.0	92.6		67.0	59.3		156.0	61.2		239.0	96.4		181.0	98.9	
	計	122.0			113.0			255.0			248.0			183.0		
3	4.0 以上	-			-			-			-			-		
	2.0 "	-		M	-		SM	-		M	3.0	1.2	SM	-		S
	1.0 "	-			-			2.0	1.3		2.0	0.8		1.0	0.5	
	0.5 "	-			3.0	2.7		4.0	2.6		6.0	2.4		4.0	1.8	
	0.5 以下	97.0	100.0		110.0	97.3		146.0	96.1		239.0	95.6		216.0	97.7	
	計	97.0			113.0			152.0			250.0			221.0		
4	4.0 以上	-			-			-			-			-		
	2.0 "	-		M	-		M	-		M	1.0	0.5	SM	-		S
	1.0 "	-			-			-			1.0	0.5		1.0	0.3	
	0.5 "	-			1.0	0.8		3.0	1.8		2.0	1.0		5.0	1.6	
	0.5 以下	128.0	100.0		130.0	99.2		165.0	98.2		190.0	98.0		302.0	98.1	
	計	128.0			131.0			168.0			194.0			308.0		
5	4.0 以上	-			-			-			-			-		
	2.0 "	1.0	0.8	SM	-		M	-		M	2.0	1.3	SM	-		SM
	1.0 "	1.0	0.8		-			1.0	0.6		2.0	1.3		-		
	0.5 "	2.0	1.6		2.0	1.7		4.0	2.3		3.0	1.9		3.0	1.4	
	0.5 以下	121.0	96.8		118.0	98.3		167.0	97.1		151.0	95.6		210.0	98.6	
	計	125.0			120.0			172.0			158.0			213.0		
7	4.0 以上	-			-			-			-			-		
	2.0 "	測点なし			測点なし			測点なし			-		M	-		SM
	1.0 "	測点なし			測点なし			測点なし			-			-		
	0.5 "	測点なし			測点なし			測点なし			7.0	3.7		4.0	2.0	
	0.5 以下	測点なし			測点なし			測点なし			180.0	96.3		194.0	98.0	
	計										187.0			198.0		

(単位 %) (単位 g)

深度	地点 種別区分	26			27			28			29			30		
		重量	%		重量	%		重量	%		重量	%		重量	%	
1	4.0 以上	3.0	1.4					103.0	31.1					2.0	0.7	
	2.0 "	7.0	3.3		採			95.0	28.7		採			10.0	3.3	
	1.0 "	5.0	2.4	GS	泥		G	85.0	25.7	GS	泥		R	41.0	13.6	S
	0.5 "	17.0	8.0		不			39.0	11.8		能			133.0	44.2	
	0.5 以下	180.0	84.9		能			9.0	2.7					115.0	38.2	
	計	212.0						331.0						310.0		
2	4.0 以上	-			18.0	6.2		140.0	47.3		62.0	18.6		34.0	11.7	
	2.0 "	-		S	50.0	17.4	GS	81.0	27.4	GS	53.0	15.9	GS	70.0	24.1	S
	1.0 "	2.0	0.8		74.0	25.7		45.0	15.2		50.0	15.0		66.0	22.8	
	0.5 "	5.0	1.9		74.0	25.7		23.0	7.8		76.0	22.8		90.0	31.0	
	0.5 以下	250.0	97.3		72.0	25.0		7.0	2.3		92.0	27.7		30.0	10.4	
	計	257.0			288.0			296.0			333.0			290.0		
3	4.0 以上	-			-			152.0	42.5		31.0	9.9		3.0	1.2	
	2.0 "	2.0	0.7	S	8.0	3.7	SM	73.0	20.4	GS	43.0	13.7	S	10.0	4.1	S
	1.0 "	3.0	1.1		22.0	10.1		51.0	14.2		54.0	17.3		26.0	10.5	
	0.5 "	8.0	3.0		54.0	24.9		47.0	13.1		85.0	27.2		96.0	38.9	
	0.5 以下	255.0	95.2		133.0	61.3		35.0	9.8		100.0	31.9		112.0	45.3	
	計	268.0			217.0			358.0			313.0			247.0		
4	4.0 以上	-			-			33.0	11.8		4.0	1.7		3.0	1.3	
	2.0 "	-		SM	9.0	4.4	SM	41.0	14.7	GS	10.0	4.1	S	9.0	3.9	S
	1.0 "	1.0	0.5		20.0	9.8		44.0	15.8		20.0	8.3		19.0	8.2	
	0.5 "	1.0	0.5		45.0	22.1		57.0	20.4		53.0	22.0		89.0	38.4	
	0.5 以下	195.0	99.0		130.0	63.7		104.0	37.3		154.0	63.9		112.0	48.2	
	計	197.0			204.0			279.0			241.0			232.0		
5	4.0 以上	-			-			22.0	10.2		6.0	2.1		6.0	2.4	
	2.0 "	4.0	2.1	SM	3.0	1.6	SM	28.0	13.1	SM	16.0	5.5	S	8.0	3.2	S
	1.0 "	5.0	2.6		5.0	2.7		31.0	14.5		27.0	9.2		19.0	7.6	
	0.5 "	10.0	5.3		19.0	10.2		41.0	19.2		60.0	20.5		46.0	18.3	
	0.5 以下	171.0	90.0		159.0	85.5		92.0	43.0		183.0	62.7		172.0	68.5	
	計	190.0			186.0			214.0			292.0			251.0		
7	4.0 以上	1.0	0.8		-			61.0	23.1		26.0	8.3		5.0	1.5	
	2.0 "	3.0	2.5		2.0	1.1		34.0	12.9		23.0	7.4		21.0	6.4	
	1.0 "	9.0	7.5	SM	2.0	1.1	SM	22.0	8.3	SM	29.0	9.3	S	51.0	15.6	S
	0.5 "	16.0	13.3		5.0	2.8		21.0	8.0		48.0	15.4		114.0	34.9	
	0.5 以下	91.0	75.9		171.0	95.0		126.0	47.7		186.0	59.6		136.0	41.6	
	計	120.0			180.0			264.0			312.0			327.0		

(単位 %) (単位 g)

深度	地点 区分 種別	31			32			33			34			35		
		重量	%		重量	%		重量	%		重量	%		重量	%	
1	60.0以上	75.0	19.2		—			113.0	25.9		採 泥 不 能			—		
	4.0 "	180.0	46.2		205.0	46.6		261.0	59.7					—		
	2.0 "	52.0	13.4	S	53.0	12.1	GS	20.0	4.6	GS			R	—		S
	1.0 "	45.0	11.6		27.0	6.2		22.0	5.0					—		
	0.5 "	29.0	7.5		21.0	4.8		14.0	3.2					1.0	0.4	
	0.5以下	8.0	2.1		133.0	30.3		7.0	1.6					235.0	99.6	
	計	389.0			439.0			437.0						236.0		
2	60.0以上	—			—			134.0	24.0		—			—		
	4.0 "	75.0	24.1		22.0	8.5		249.0	44.5		180.0	48.8		280.0	55.8	
	2.0 "	66.0	21.2	S	63.0	24.4	SM	59.0	10.6	GS	55.0	14.9	GS	45.0	8.9	GS
	1.0 "	83.0	26.7		87.0	33.7		58.0	10.4		41.0	11.1		41.0	8.2	
	0.5 "	41.0	13.2		35.0	13.6		43.0	7.6		36.0	9.8		53.0	10.6	
	0.5以下	46.0	14.8		51.0	19.8		16.0	2.9		57.0	15.4		83.0	16.5	
	計	311.0			258.0			559.0			369.0			502.0		
3	4.0以上	38.0	10.6		10.0	3.5		127.0	37.8		18.0	5.1		20.0	4.9	
	2.0 "	59.0	16.5		29.0	10.2		78.0	23.0		21.0	6.0		19.0	4.7	
	1.0 "	96.0	26.9	S	61.0	21.6	SM	57.0	17.0	GS	37.0	10.5	S	26.0	6.5	SM
	0.5 "	107.0	30.0		69.0	24.4		54.0	16.1		80.0	22.7		29.0	7.2	
	0.5以下	57.0	16.0		114.0	40.3		20.0	6.1		196.0	55.7		309.0	76.7	
	計	357.0			283.0			336.0			352.0			403.0		
4	60.0以上	—			—			—			—			225.0	33.5	
	4.0 "	63.0	17.2		2.0	0.8		27.0	9.1		6.0	2.3		294.0	43.8	
	2.0 "	71.0	19.3		11.0	4.3		44.0	14.8		9.0	3.4		57.0	8.5	
	1.0 "	93.0	25.3	S	36.0	14.1	SM	72.0	24.2	GS	21.0	7.9	S	37.0	5.5	GS
	0.5 "	89.0	24.3		81.0	31.8		106.0	35.5		57.0	21.4		23.0	3.4	
	0.5以下	51.0	13.9		125.0	49.0		49.0	16.4		173.0	65.0		35.0	5.3	
	計	367.0			255.0			298.0			266.0			671.0		
5	60.0以上	—			—			—			—			95.0	28.4	
	4.0 "	99.0	26.6		6.0	2.4		64.0	30.2		13.0	4.5		150.0	44.9	
	2.0 "	66.0	17.7		16.0	6.3		34.0	16.0		12.0	4.1		30.0	9.0	
	1.0 "	72.0	19.3	S	37.0	14.5	SM	40.0	18.9	GS	20.0	6.8	S	22.0	6.6	GS
	0.5 "	80.0	21.4		72.0	28.2		53.0	25.0		47.0	16.1		17.0	5.1	
	0.5以下	56.0	15.0		124.0	48.6		21.0	9.9		200.0	68.5		20.0	6.0	
	計	373.0			255.0			212.0			292.0			334.0		
7	4.0以上	20.0	11.1		2.0	0.9		21.0	5.6		—			46.0	14.8	
	2.0 "	20.0	11.1		4.0	1.7		84.0	22.3		3.0	0.9		39.0	12.6	
	1.0 "	31.0	17.2	S	10.0	4.4	SM	63.0	16.7	GS	9.0	2.6	S	43.0	13.9	GS
	0.5 "	46.0	25.6		19.0	8.3		117.0	31.0		39.0	11.2		29.0	9.4	
	0.5以下	63.0	35.0		194.0	84.7		92.0	24.4		296.0	85.3		153.0	49.3	
	計	180.0			229.0			377.0			347.0			310.0		

(単位%) (単位g)

深度	種別	地点区分		36		37		38		39		40	
		重量	%	重量	%	重量	%	重量	%	重量	%	重量	%
1	4.0 以上			34.0	13.0								
	2.0 "	採		43.0	16.4					採		採	
	1.0 "		R	81.0	30.9	S		R		採		R	
	0.5 "			71.0	27.1					泥			
	0.5 以下	泥		33.0	12.6					不能			
	計			262.0			採						
2	4.0 以上			32.0	12.0					299.0	64.3		
	2.0 "	不		93.0	35.0					64.0	13.8	泥	
	1.0 "		R	77.0	28.9	S		R		64.0	13.8	GS	R
	0.5 "			39.0	14.7					33.0	7.1		
	0.5 以下	能		25.0	9.4					5.0	1.0		
	計			266.0						465.0			
3	4.0 以上	68.0	23.6	—						72.0	53.7		
	2.0 "	46.0	16.0	—		泥				23.0	17.2	不	
	1.0 "	51.0	17.7	GS	1.0	0.5	S		R	20.0	14.9	GS	R
	0.5 "	43.0	14.9		16.0	7.8				13.0	9.7		
	0.5 以下	80.0	27.8		189.0	91.1				6.0	4.5		
	計	288.0			206.0					134.0			
4	4.0 以上	10.0	4.2	—									
	2.0 "	13.0	5.4	—						採		能	
	1.0 "	21.0	8.9	GS	2.0	1.1	SM		R	採		GS	R
	0.5 "	48.0	20.3		14.0	7.8				泥			
	0.5 以下	145.0	61.2		163.0	91.1	不			不能			
	計	237.0			179.0								
5	4.0 以上	6.0	2.5	—						112.0	48.7	—	
	2.0 "	17.0	7.2	—						49.0	21.3	—	
	1.0 "	26.0	11.0	S	2.0	1.3	SM		R	39.0	17.0	GS	M
	0.5 "	48.0	20.3		5.0	3.2				20.0	8.7	2.0	2.3
	0.5 以下	140.0	59.0		147.0	95.5				10.0	4.3	84.0	97.7
	計	237.0			154.0					230.0		86.0	
7	60.0以上	—		—						49.0	14.8	—	
	4.0 "	—		—		能				75.0	22.7	35.0	20.5
	2.0 "	5.0	2.3	—						27.0	8.2	13.0	7.6
	1.0 "	14.0	6.4	S	—	M		R		38.0	11.4	GS	28.0
	0.5 "	56.0	25.4		1.0	0.6				49.0	14.8	48.0	28.1
	0.5 以下	145.0	65.9		157.0	99.4				93.0	28.1	47.0	27.4
	計	220.0			158.0					331.0		171.0	

(単位%) (単位g)

深度	地点 種別	41		42		43		44		45	
		重量	%	重量	%	重量	%	重量	%	重量	%
1	4.0 以上										
	2.0 "										
	1.0 "	採	R	採	R	採	R	採	R	採	R
	0.5 "										
	0.5 以下 計										
2	4.0 以上									泥	
	2.0 "										
	1.0 "		R		R		R		R		R
	0.5 "										
	0.5 以下 計	泥		泥		泥		泥		不	
3	4.0 以上										
	2.0 "										
	1.0 "		R		R		R		R		R
	0.5 "										
	0.5 以下 計	不		不		不		不		能	
4	4.0 以上									-	
	2.0 "									-	
	1.0 "		R		R		R		R	-	M
	0.5 "									5.0	4.7
	0.5 以下 計									101.0 106.0	95.3
5	4.0 以上									-	
	2.0 "	能		能		能		能		-	
	1.0 "		R		R		R		R	2.0	1.9 M
	0.5 "									6.0	5.7
	0.5 以下 計									98.0 106.0	92.4
7	4.0 以上										
	2.0 "										
	1.0 "		R		R		R		GS	欠	
	0.5 "										
	0.5 以下 計									測	

(単位%) (単位g)

深度	地点 種別	46		47		48		49		50	
		重量	%	重量	%	重量	%	重量	%	重量	%
1	4.0 以上					—		30.0	18.5	75.0	23.6
	2.0 "					—		30.0	18.5	28.0	8.8
	1.0 "	採	R	採	R	—	SM	30.0	18.5	26.0	8.2
	0.5 "					1.0	0.4	18.0	11.1	30.0	9.5
	0.5 以下					266.0	99.6	54.0	33.4	158.0	49.9
	計					267.0		162.0		317.0	
2	4.0 以上					—		110.0	33.3	—	
	2.0 "					—		54.0	16.3	—	
	1.0 "		R		R	—	SM	49.0	14.8	3.0	1.3
	0.5 "	泥		泥		2.0	1.1	54.0	16.3	13.0	5.7
	0.5 以下					179.0	98.9	64.0	19.3	213.0	93.0
	計					181.0		331.0		229.0	
3	4.0 以上					—		102.0	27.8	8.0	2.8
	2.0 "					—		50.0	13.6	1.0	0.3
	1.0 "		R		R	—	SM	34.0	9.3	5.0	1.8
	0.5 "					3.0	2.0	39.0	10.6	31.0	10.8
	0.5 以下	不		不		144.0	98.0	142.0	38.7	242.0	84.3
	計					147.0		367.0		287.0	
4	4.0 以上					—		257.0	83.2	—	
	2.0 "					—		14.0	4.5	—	
	1.0 "		R		R	—	M	9.0	2.9	2.0	0.7
	0.5 "					—		7.0	2.3	16.0	5.3
	0.5 以下					155.0	100.0	22.0	7.1	284.0	94.0
	計					155.0		309.0		302.0	
5	4.0 以上	能		能		—		27.0	11.4	—	
	2.0 "					—		17.0	7.2	—	
	1.0 "		R		R	—	M	19.0	8.1	4.0	1.3
	0.5 "					—		21.0	8.9	16.0	5.4
	0.5 以下					133.0	100.0	152.0	64.4	277.0	93.3
	計					133.0		236.0		297.0	
7	4.0 以上	178.0	49.7	53.0	14.6	360.0	82.9			—	
	2.0 "	55.0	15.4	52.0	14.4	43.0	9.9	採		—	
	1.0 "	39.0	10.9	48.0	13.3	19.0	4.4	泥		—	
	0.5 "	36.0	10.1	83.0	22.9	7.0	1.6	不		3.0	1.5
	0.5 以下	50.0	13.9	126.0	34.8	5.0	1.2	能		202.0	98.5
	計	358.0		362.0		434.0				205.0	

(単位%) (単位g)

深度	地点 種別	5 1		5 2		5 3		5 4		5 5	
		重 量	%	重 量	%	重 量	%	重 量	%	重 量	%
1	4.0 以上	301.0	87.5			—		12.0	4.4		
	2.0 "	16.0	4.7	採 泥 不 能		—		44.0	16.3	採 泥 不 能	
	1.0 "	4.0	1.2			—		47.0	17.4		
	0.5 "	2.0	0.5			1.0	0.6	35.0	13.0		
	0.5 以下	21.0	6.1			165.0	99.4	132.0	48.9		
	計	344.0				166.0		270.0			
2	4.0 以上	—				—		2.0	1.1	—	
	2.0 "	3.0	1.3			—		5.0	2.5	—	
	1.0 "	12.0	5.3	SM	3.0 1.4	S	—	11.0	5.9	S	3.0 1.3
	0.5 "	17.0	7.5		31.0 14.8		—	30.0	15.9		58.0 25.6
	0.5 以下	196.0	85.9		175.0 83.8		194.0 100.0	141.0	74.6		166.0 73.1
	計	228.0			209.0		194.0	189.0			227.0
3	4.0 以上	—			34.0 18.5		—	74.0	25.5	—	
	2.0 "	—			34.0 18.5		—	45.0	15.5	—	
	1.0 "	3.0	1.1	SM	40.0 21.7	GS	2.0 1.2	37.0	12.8	S	9.0 3.3
	0.5 "	17.0	6.1		31.0 16.9		1.0 0.6	72.0	24.8		59.0 21.6
	0.5 以下	259.0	92.8		45.0 24.4		159.0 98.2	62.0	21.4		205.0 75.1
	計	279.0			184.0		162.0	290.0			273.0
4	4.0 以上	—			84.0 34.0		—	100.0	31.3	—	
	2.0 "	—			27.0 10.9		2.0 1.1	66.0	20.6		1.0 0.5
	1.0 "	3.0	1.0	SM	26.0 10.5	GS	2.0 1.1	79.0	24.7	S	1.0 0.5
	0.5 "	11.0	3.8		40.0 16.2		2.0 1.1	60.0	18.7		3.0 1.5
	0.5 以下	280.0	95.2		70.0 28.4		170.0 96.7	15.0	4.7		199.0 97.5
	計	294.0			247.0		176.0	320.0			204.0
5	6.0 以上	—			35.0 8.7		—	—		—	
	4.0 "	—			138.0 34.4		33.0 15.9	42.0	14.5		1.0 0.3
	2.0 "	2.0	0.7		58.0 14.5		23.0 11.1	83.0	28.7		26.0 8.2
	1.0 "	1.0	0.4	SM	62.0 15.5	GS	16.0 7.7	113.0	39.1	S	104.0 32.7
	0.5 "	6.0	2.3		49.0 12.2		38.0 18.2	39.0	13.5		134.0 42.1
	0.5 以下	258.0	96.6		59.0 14.7		98.0 47.1	12.0	4.2		53.0 16.7
	計	267.0			401.0		208.0	289.0			318.0
7	4.0 以上	—			—		—	6.0	2.9	—	
	2.0 "	—			—		—	18.0	8.7	—	
	1.0 "	—		SM	12.0 5.0	S	—	21.0	10.1	S	—
	0.5 "	3.0	1.4		34.0 14.2		2.0 1.4	137.0	66.2		6.0 4.2
	0.5 以下	210.0	98.6		194.0 80.8		144.0 98.6	25.0	12.1		136.0 95.8
	計	213.0			240.0		146.0	207.0			142.0