

原発部位	診断年	初発診断数	進展度(治療前)							進展度(術後病理学的)							手術なし	
			上皮内	限局	領域リンパ節転移	隣臓器浸潤	遠隔転移	不明該当なし	限局率	上皮内	限局	領域リンパ節転移	隣臓器浸潤	遠隔転移	術前治療あり	不明該当なし		限局率
食道	2009	23		11	1	7	4		47.8%		4			2	4	1	36.4%	12
	2010	31	3	8	3	12	5		35.5%	2	4	1		2	7	1	35.3%	14
	2011	31	2	10	2	10	6	1	38.7%	2	4		4		4	1	40.0%	16
	2012	31	6	11	1	9	4		54.8%	7	4		1		8	1	52.4%	10
	2013	25	2	6	2	11	3	1	32.0%	2	5		1		8		43.8%	9
	2014	32	2	11	4	7	7	1	40.6%	2	8	1	2	1	2		62.5%	16
	2015	22	1	8	2	7	3	1	40.9%	1	4	1		1	3		50.0%	12
	2016	28	6	10	2	5	5		57.1%	7	6		1	1	3		72.2%	10
	2017	30	4	7		10	9		36.7%	4	5		2		3		64.3%	16
	2018	32	6	8	4	9	5		43.8%	6	7				7	2	59.1%	10
胃	2009	132		69	5	33	21	4	52.3%		69	18	9	16		8	57.5%	12
	2010	147		73	19	21	28	6	49.7%		69	22	11	20	1	4	54.3%	20
	2011	152		86	6	23	28	9	56.6%		72	18	15	13	1	8	56.7%	25
	2012	172		104	9	24	33	2	60.5%		93	12	17	7	1	7	67.9%	35
	2013	189		133	14	22	19	1	70.4%		109	23	22	11	4	2	63.7%	18
	2014	166		112	13	20	18	3	67.5%		93	16	18	9	1	1	67.4%	28
	2015	169		102	13	18	34	2	60.4%		81	18	13	9		6	63.8%	42
	2016	142		87	13	18	16	8	61.3%		70	20	13	9	2		61.4%	28
	2017	162		115	7	15	24	1	71.0%		93	11	12	7	4		73.2%	35
	2018	153		101	10	15	25	2	66.0%		86	21	6	8	1	4	68.3%	27
大腸(結腸+直腸)	2009	115	18	36	25	13	18	5	47.0%	18	46	15	11	17		4	57.7%	4
	2010	120	15	44	21	23	12	5	49.2%	9	60	19	13	11	1	3	59.5%	4
	2011	120	8	48	21	18	20	5	46.7%	9	52	18	13	12	3	2	56.0%	11
	2012	147	15	53	15	30	31	3	46.3%	15	54	23	13	22	6	3	50.7%	11
	2013	133	4	57	30	16	23	3	45.9%	7	59	27	14	14	3	2	52.4%	7
	2014	140	13	63	24	13	22	5	54.3%	14	62	26	9	12	4	2	58.9%	11
	2015	149	19	67	12	22	25	4	57.7%	21	67	18	8	17	2	3	64.7%	13
	2016	149	22	67	12	13	25	10	59.7%	24	61	21	9	15	5		63.0%	14
	2017	151	23	68	7	23	27	3	60.3%	26	56	17	11	21	6		59.9%	14
	2018	165	19	65	16	33	27	5	50.9%	32	52	26	15	14	9	3	55.6%	14
肝	2009	22		18	1	2	1		81.8%		12		2	1			80.0%	7
	2010	35		22		9	1	3	62.9%		14		3				82.4%	18
	2011	32		22		6	4		68.8%		10		3	1			71.4%	18
	2012	33		26		4	2	1	78.8%		19		1			1	90.5%	12
	2013	24		12		7	2	3	50.0%		10					2	83.3%	12
	2014	23		18		2	2	1	78.3%		12						100.0%	11
	2015	23		15		5	3		65.2%		8		2	1			72.7%	12
	2016	25		15		6	2	2	60.0%		9		1				90.0%	15
	2017	28		24		3	1		85.7%		11						100.0%	17
	2018	30		21		5	1	3	70.0%		13		2				86.7%	15
膵	2009	37		5	2	13	15	2	13.5%		1	1	15	3		7	3.7%	10
	2010	42		2		17	21	2	4.8%		1	1	7	4		9	4.5%	20
	2011	40		3	1	19	17		7.5%				19	2		2	0.0%	17
	2012	40		1		17	21	1	2.5%				10	1		4	0.0%	25
	2013	45		3	1	15	25	1	6.7%		1		11	1		12	4.0%	20
	2014	49	2	4		21	18	4	12.2%	4	1	1	14	3	1	3	18.5%	22
	2015	34		3		11	20		8.8%	1			6	2		1	10.0%	24
	2016	39		6		11	21	1	15.4%		3		8	3	1		20.0%	24
	2017	49		1		21	24	3	2.0%		1		9	1	3		7.1%	35
	2018	50		16	2	7	25		32.0%		2	8	2	3	3	1	10.5%	31

原発部位	診断年	初発診断数	進展度(治療前)							進展度(術後病理学的)							手術なし	
			上皮内	限局	領域リンパ節転移	隣接臓器浸潤	遠隔転移	不明該当なし	限局率	上皮内	限局	領域リンパ節転移	隣接臓器浸潤	遠隔転移	術前治療あり	不明該当なし		限局率
肺	2009	141		53	13	16	53	6	37.6%	3	46	5	5		1	1	80.3%	80
	2010	144		50	8	27	51	8	34.7%		37	6	9				71.2%	92
	2011	173		53	24	29	62	5	30.6%		45	10	9	1	1		68.2%	107
	2012	197		65	18	14	93	7	33.0%		40	11	3	3		5	64.5%	135
	2013	157		69	16	7	61	4	43.9%		49	22	2	2			65.3%	82
	2014	197		91	20	13	63	10	46.2%	1	66	13	6	5	1	2	71.3%	103
	2015	171		69	18	12	66	6	40.4%		55	14	5	2	3		69.6%	92
	2016	186		98	14	8	61	5	52.7%		73	8	3	11	4		73.7%	87
	2017	206		87	29	16	70	4	42.2%		65	18	3	6	2		69.1%	112
	2018	203		85	14	29	64	11	41.9%	2	66	13	10	5	3	2	67.3%	102
乳房	2009	51	7	33	8		3		78.4%	7	33	7	1	1	1		80.0%	1
	2010	62	10	40	7	5			80.6%	10	31	15	2		1	1	68.3%	2
	2011	71	6	43	8	8	4	2	69.0%	6	31	14	5	2	3		60.7%	10
	2012	70	7	49	10	1	2	1	80.0%	12	40	10	1		2		80.0%	5
	2013	49	7	31	5	1	2	3	77.6%	6	30	7	1	1	1	2	75.0%	1
	2014	74	3	57	3	4	4	3	81.1%	6	45	8			1	1	83.6%	13
	2015	94	8	67	7	4	7	1	79.8%	12	48	14	2	1	4		74.1%	13
	2016	144	24	87	15	6	11	1	77.1%	15	70	22	3	2	23		63.0%	9
	2017	137	26	74	18	8	5	6	73.0%	21	59	15	3		28	3	62.0%	8
	2018	111	16	67	13	3	5	7	74.8%	17	46	6	1		31		62.4%	10
子宮頸部	2009	48	29	14		4	1		89.6%	28	8	2		1	2		87.8%	7
	2010	54	40	7	2	5			87.0%	35	9	1	1		1		93.6%	7
	2011	49	33	9		5	2		85.7%	28	9		2		1		92.5%	9
	2012	56	26	19	1	9	1		80.4%	23	16		3		4	1	83.0%	9
	2013	96	66	9	2	13	1	5	78.1%	66	12		3	2	7	1	85.7%	5
	2014	113	69	20	1	11		12	78.8%	76	17	1	6		6		87.7%	7
	2015	101	77	9	1	8	1	5	85.1%	76	8		2	2	3		92.3%	10
	2016	132	93	14	2	11	8	4	81.1%	92	12	2	5	2	3		89.7%	16
	2017	108	74	9		24	1		76.9%	69	10	2	5	1	3		87.8%	18
	2018	94	65	8	1	17	2	1	77.7%	58	10		5		2	1	89.5%	18
子宮体部	2009	24		19		4		1	79.2%		13		8		1	2	54.2%	
	2010	24		20		1		3	83.3%		17		3			3	73.9%	1
	2011	25		20	1	2		2	80.0%		16	1	5			2	66.7%	1
	2012	25		19	2	2	2		76.0%		17	3	3		1		70.8%	1
	2013	28		20		2	1	5	71.4%	1	20	2	1		3	1	75.0%	
	2014	28		22		2	1	3	78.6%		20	2	2				83.3%	4
	2015	26		20		5	1		76.9%		17	1	5	1		1	68.0%	1
	2016	31		22		7		2	71.0%		21		6	1			75.0%	3
	2017	18		13		2	1	2	72.2%		12	1	3				75.0%	2
	2018	31		28		2	1		90.3%		20	1	5	1	1		71.4%	3
前立腺	2009	66		50		10	4	2	75.8%		8		2		19	3	25.0%	34
	2010	72		49		10	7	6	68.1%		18	1	3		13	2	48.6%	35
	2011	93		61		17	15		65.6%		19		8		2	6	54.3%	58
	2012	74		57		10	7		77.0%		17	1	4		1		73.9%	51
	2013	65		51		5	8	1	78.5%		14		10				58.3%	41
	2014	65		51		7	7		78.5%		15	2	16	2			42.9%	30
	2015	96		71		15	10		74.0%		26	2	7				74.3%	61
	2016	104		67	3	17	15	2	64.4%		17	1	11		2		54.8%	73
	2017	112		75		21	14	2	67.0%		13		3		2		72.2%	94
	2018	78		46		20	10	2	59.0%		8		2				80.0%	68

