

原発部位	診断年	初発診断数	手術（原発巣切除）					手術治療の結果			手術なし
			実施率	外科的治療	鏡視下の治療	内視鏡的治療	治癒切除	非治癒切除	治癒・非治癒不明		
食道	2009	23	10	43.5%	8		3	10			12
	2010	31	16	51.6%	14		3	12	4		14
	2011	31	15	48.4%	13		3	13	2		16
	2012	31	20	64.5%	9	2	10	20			10
	2013	25	16	64.0%	7	3	8	13		3	9
	2014	32	16	50.0%	3	6	7	13	1	2	16
	2015	22	10	45.5%	4	1	5	7	3		12
	2016	28	18	64.3%	4	4	10	16	2		10
	2017	30	14	46.7%	4	3	7	14			16
2018	32	21	65.6%	3	7	11	20	1		11	
胃	2009	132	114	86.4%	65	42	13	102	11	1	12
	2010	147	125	85.0%	69	35	26	105	20		20
	2011	152	127	83.6%	74	30	23	115	12		25
	2012	172	131	76.2%	51	43	44	124	7		35
	2013	189	169	89.4%	63	49	63	156	12	1	18
	2014	166	137	82.5%	49	43	48	127	10		28
	2015	169	122	72.2%	57	30	40	112	9	1	42
	2016	142	113	79.6%	56	20	38	103	10		29
	2017	162	127	78.4%	56	28	51	120	7		35
2018	153	122	79.7%	59	25	43	113	9		31	
大腸（結腸＋直腸）	2009	115	110	95.7%	34	56	26	91	18	1	4
	2010	120	116	96.7%	47	56	16	105	11		4
	2011	120	109	90.8%	33	64	14	94	14	1	11
	2012	147	134	91.2%	36	83	20	113	20	1	11
	2013	133	124	93.2%	28	90	10	107	15	2	7
	2014	140	127	90.7%	35	71	36	111	13	3	11
	2015	149	133	89.3%	35	77	33	116	17		13
	2016	149	134	89.9%	30	73	39	116	18		15
	2017	151	136	90.1%	27	75	39	126	10		15
2018	165	147	89.1%	25	88	39	132	15		18	
肝	2009	22	15	68.2%	15			14	1		7
	2010	35	17	48.6%	15	2		16	1		18
	2011	32	14	43.8%	14			12	2		18
	2012	33	20	60.6%	21			19	1		12
	2013	24	10	41.7%	10		3	10			12
	2014	23	12	52.2%	10	2		12			11
	2015	23	11	47.8%	11			8	3		12
	2016	25	10	40.0%	9	1		10			15
	2017	28	11	39.3%	9	2		11			17
2018	30	15	50.0%	10	5		14	1		15	
膵	2009	37	20	54.1%	21		8	18	2		10
	2010	42	14	33.3%	17		5	11	3		20
	2011	40	21	52.5%	23			20	1		17
	2012	40	11	27.5%	12		3	9	2		25
	2013	45	13	28.9%	14	1	13	10	2	1	20
	2014	49	24	49.0%	22	3	6	20	3	1	22
	2015	34	9	26.5%	10			7	2		24
	2016	39	15	38.5%	15			11	4		24
	2017	49	14	28.6%	14			10	4		35
2018	50	18	36.0%	17	1		15	3		32	

主要部位別_診断年別_初回治療別_件数（上皮内がんを含む）（初発のみ）

【2】4

原発部位	診断年	初発診断数	放射線治療		化学療法		内分泌療法			治療法併用				
				実施率		実施率		実施率	手術 + 放射線 + 化学	手術 + 放射線	手術 + 化学	手術 + 内分泌	放射線 + 化学	
食道	2009	23	9	39.1%	12	52.2%					2	5		5
	2010	31	12	38.7%	18	58.1%				2		6		8
	2011	31	15	48.4%	11	35.5%				2		3		6
	2012	31	6	19.4%	15	48.4%						9		4
	2013	25	8	32.0%	17	68.0%				1		8		7
	2014	32	11	34.4%	13	40.6%						3		9
	2015	22	9	40.9%	11	50.0%				1	1	3		6
	2016	28	11	39.3%	9	32.1%				2		1		6
	2017	30	13	43.3%	15	50.0%						3		11
2018	32	9	28.1%	17	53.1%				1		7		8	
胃	2009	132	2	1.5%	33	25.0%				1		28		
	2010	147	2	1.4%	41	27.9%						31		2
	2011	152	3	2.0%	33	21.7%						28		1
	2012	172	4	2.3%	47	27.3%						30		2
	2013	189			42	22.2%						34		
	2014	166	3	1.8%	31	18.7%					1	20		2
	2015	169	4	2.4%	46	27.2%						27		3
	2016	142	3	2.1%	35	24.6%						25		1
	2017	162	3	1.9%	40	24.7%				1		21		2
2018	153	5	3.3%	26	17.0%				1		13		1	
大腸 (結腸 + 直腸)	2009	115	3	2.6%	31	27.0%				1		28		1
	2010	120	2	1.7%	18	15.0%				1	1	16		
	2011	120	2	1.7%	29	24.2%				2		25		
	2012	147	6	4.1%	59	40.1%				3	1	50		2
	2013	133	2	1.5%	49	36.8%				1		46		1
	2014	140	1	0.7%	55	39.3%				1		46		
	2015	149	4	2.7%	53	35.6%				2		45		2
	2016	149	7	4.7%	53	35.6%				3		41		4
	2017	151	4	2.6%	55	36.4%				1		46		2
2018	165	7	4.2%	50	30.3%				4	1	39		1	
肝	2009	22			3	13.6%						1		
	2010	35	1	2.9%	6	17.1%						1		
	2011	32	1	3.1%	11	34.4%						2		
	2012	33			7	21.2%						1		
	2013	24	1	4.2%	3	12.5%						1		
	2014	23	3	13.0%	5	21.7%						1		2
	2015	23	2	8.7%	4	17.4%						2		
	2016	25	1	4.0%	2	8.0%								
	2017	28	1	3.6%	4	14.3%								
2018	30	2	6.7%	3	10.0%									
膵	2009	37	1	2.7%	19	51.4%						12		1
	2010	42	3	7.1%	28	66.7%				1		13		2
	2011	40	3	7.5%	21	52.5%						11		3
	2012	40	4	10.0%	24	60.0%						10		4
	2013	45	3	6.7%	32	71.1%						15		3
	2014	49	2	4.1%	30	61.2%				1		18		1
	2015	34	2	5.9%	20	58.8%						6		2
	2016	39	5	12.8%	25	64.1%						10		4
	2017	49	4	8.2%	30	61.2%				1		10		2
2018	50	4	8.0%	30	60.0%						10		4	

原発部位	診断年	初発診断数	手術（原発巣切除）				手術治療の結果			手術なし	
			実施率	外科的治療	鏡視下の治療	内視鏡的治療	治癒切除	非治癒切除	治癒・非治癒不明		
肺	2009	141	60	42.6%	2	59		58	2		80
	2010	144	52	36.1%	2	50		47	5		92
	2011	173	66	38.2%	4	62		63	3		107
	2012	197	59	29.9%	3	59		57	2		135
	2013	157	75	47.8%	1	74		73	2		82
	2014	197	94	47.7%	3	91		85	6	3	103
	2015	171	79	46.2%	1	78		75	4		92
	2016	186	99	53.2%		99		87	12		87
	2017	206	94	45.6%	5	89		86	8		112
2018	203	100	49.3%	2	98		94	6		103	
乳房	2009	51	50	98.0%	50			46	2	2	1
	2010	62	60	96.8%	60			51	8	1	2
	2011	71	61	85.9%	61			55	6		10
	2012	70	65	92.9%	65			65			5
	2013	49	48	98.0%	48			43	5		1
	2014	74	61	82.4%	61			60		1	13
	2015	94	81	86.2%	81			78	3		13
	2016	144	93	64.6%	93			87	6		51
	2017	137	86	62.8%	86			84	2		51
2018	111	81	73.0%	81			78	3		30	
子宮頸部	2009	48	41	85.4%	41			38	3		7
	2010	54	47	87.0%	47			41	6		7
	2011	49	40	81.6%	40			39	1		9
	2012	56	46	82.1%	47			45	1		9
	2013	96	90	93.8%	91			79	7	4	5
	2014	113	106	93.8%	104	2		104	2		7
	2015	101	91	90.1%	89	3		82	9		10
	2016	132	113	85.6%	102	11		93	20		19
	2017	108	89	82.4%	89			78	11		19
2018	94	76	80.9%	75	1		67	9		18	
子宮体部	2009	24	24	100.0%	22		2	21	3		
	2010	24	23	95.8%	23			21	2		1
	2011	25	25	100.0%	24		1	23	2		
	2012	25	24	96.0%	24			21	3		1
	2013	28	28	100.0%	27	1		19	1	8	
	2014	28	24	85.7%	22	2		24			4
	2015	26	25	96.2%	22	3		22	1	2	1
	2016	31	28	90.3%	19	10		27	1		3
	2017	18	15	83.3%	15			14	1		3
2018	31	28	90.3%	17	10	1	27	1		3	
前立腺	2009	66	29	43.9%	32			29			34
	2010	72	35	48.6%	31		6	31	4		35
	2011	93	29	31.2%	33	1	1	23	6		58
	2012	74	23	31.1%	21	2		18	4	1	51
	2013	65	24	36.9%	1	23		24			41
	2014	65	35	53.8%	4	29	2	29	6		30
	2015	96	35	36.5%		35		29	6		61
	2016	104	31	29.8%		31		22	9		73
	2017	112	18	16.1%	12	5	1	9	9		94
2018	78	9	11.5%		9		8	1		69	

原発部位	診断年	初発診断数	放射線治療		化学療法		内分泌療法		治療法併用				
				実施率		実施率		実施率	手術 + 放射線 + 化学	手術 + 放射線	手術 + 化学	手術 + 内分泌	放射線 + 化学
肺	2009	141	39	27.7%	64	45.4%				1	18		22
	2010	144	41	28.5%	74	51.4%				2	15		22
	2011	173	40	23.1%	86	49.7%					21		27
	2012	197	66	33.5%	100	50.8%			2		29		38
	2013	157	34	21.7%	82	52.2%					49		11
	2014	197	51	25.9%	87	44.2%			2	1	38		27
	2015	171	47	27.5%	85	49.7%			1	2	34		28
	2016	186	29	15.6%	90	48.4%			1	3	42		14
	2017	206	20	9.7%	108	52.4%			2	1	46		8
2018	203	31	15.3%	93	45.8%			2	1	36		13	
乳房	2009	51	37	72.5%	14	27.5%	31	60.8%	7	30	6	4	
	2010	62	38	61.3%	15	24.2%	42	67.7%	6	32	8	9	
	2011	71	39	54.9%	24	33.8%	37	52.1%	15	24	9	9	
	2012	70	42	60.0%	20	28.6%	37	52.9%	14	28	5	13	
	2013	49	36	73.5%	15	30.6%	16	32.7%	13	22	2		
	2014	74	49	66.2%	22	29.7%	39	52.7%	14	33	3	5	1
	2015	94	62	66.0%	26	27.7%	57	60.6%	12	50	5	9	
	2016	144	102	70.8%	34	23.6%	73	50.7%	19	41	9	18	1
	2017	137	93	67.9%	32	23.4%	61	44.5%	12	37	15	16	2
2018	111	50	45.0%	37	33.3%	36	32.4%	10	20	23	18		
子宮頸部	2009	48	6	12.5%	15	31.3%				1	10		5
	2010	54	4	7.4%	7	13.0%					5		2
	2011	49	6	12.2%	8	16.3%				1	5		3
	2012	56	7	12.5%	14	25.0%				1	9		4
	2013	96	9	9.4%	18	18.8%			1	3	13		4
	2014	113	6	5.3%	15	13.3%				1	13		2
	2015	101	7	6.9%	14	13.9%			1		8		5
	2016	132	20	15.2%	20	15.2%			5		10		4
	2017	108	15	13.9%	22	20.4%					14		7
2018	94	13	13.8%	11	11.7%					8		3	
子宮体部	2009	24	1	4.2%	13	54.2%	2	8.3%		1	13	2	
	2010	24	1	4.2%	9	37.5%				1	9		
	2011	25			12	48.0%					12		
	2012	25	1	4.0%	14	56.0%				1	14		
	2013	28			14	50.0%					14		
	2014	28	1	3.6%	15	53.6%				1	14		
	2015	26			13	50.0%	1	3.8%			12	1	
	2016	31	2	6.5%	13	41.9%				1	13		
	2017	18	2	11.1%	5	27.8%			1		3		
2018	31			9	29.0%					8			
前立腺	2009	66	1	1.5%			51	77.3%				21	
	2010	72	6	8.3%	1	1.4%	49	68.1%		1		17	
	2011	93	24	25.8%	4	4.3%	45	48.4%		6	2	6	
	2012	74	21	28.4%	1	1.4%	37	50.0%		1		3	1
	2013	65	11	16.9%	2	3.1%	24	36.9%		1			1
	2014	65	16	24.6%	3	4.6%	32	49.2%		3	2	3	
	2015	96	6	6.3%	6	6.3%	52	54.2%					6
	2016	104	30	28.8%	5	4.8%	50	48.1%		4		4	1
	2017	112	47	42.0%	1	0.9%	47	42.0%				3	
2018	78	38	48.7%	1	1.3%	32	41.0%						