



表7-2 溶存酸素量(mg/L) 多項目水質計による測定値

月日	深度(m)	地 点					平均值
		I	II	III	IV	V	
6/15	0.5	9.8	9.6	9.7	10.0	9.8	9.8
	1	9.8	9.6	9.7	10.0	9.7	9.8
	2	10.0	9.8	9.7	10.0	9.8	9.9
	3	10.0	9.8	9.7	10.1	9.8	9.9
	4	9.9	9.8	9.9	10.3	9.7	9.9
	5	9.8	9.8	10.0	10.5	9.8	10.0
	6	9.6	9.8	10.1	10.5	9.8	10.0
	7	-	9.8	10.1	10.3	9.7	10.0
	8	-	9.9	10.2	10.2	9.6	10.0
	9	-	10.1	10.2	10.7	9.4	10.1
	10	-	9.9	10.2	10.9	9.3	10.1
	11	-	9.9	10.1	11.1	9.4	10.1
	12	-	10.0	10.0	10.7	9.5	10.1
	13	-	9.9	9.8	10.5	9.5	9.9
	14	-	9.5	9.7	10.2	9.5	9.7
	15	-	9.1	9.7	10.0	-	9.6
	16	-	8.9	9.7	9.8	-	9.5
	17	-	8.8	9.8	9.6	-	9.4
	18	-	9.1	9.7	9.5	-	9.4
	19	-	9.0	9.7	9.6	-	9.4
	20	-	9.0	9.8	9.7	-	9.5
	21	-	8.9	9.7	9.8	-	9.5
	22	-	8.8	9.7	9.8	-	9.4
	23	-	-	9.7	9.9	-	9.8
	24	-	-	9.8	9.9	-	9.9
	25	-	-	9.8	9.9	-	9.9
	26	-	-	9.8	9.9	-	9.9
	27	-	-	9.8	9.9	-	9.9
	28	-	-	9.8	9.9	-	9.9
	29	-	-	9.8	10.0	-	9.9
	30	-	-	9.7	10.0	-	9.9
	31	-	-	9.8	10.0	-	9.9
	32	-	-	9.7	10.0	-	9.9
	33	-	-	9.7	10.0	-	9.9
	34	-	-	9.7	10.0	-	9.9
	35	-	-	9.8	9.9	-	9.9
	36	-	-	9.7	9.9	-	9.8
	37	-	-	9.3	9.9	-	9.6
	38	-	-	9.1	9.9	-	9.5
	39	-	-	8.9	9.8	-	9.4
	40	-	-	8.9	9.8	-	9.4
	41	-	-	8.8	9.7	-	9.3
	42	-	-	8.8	9.7	-	9.3
	43	-	-	8.8	9.6	-	9.2
	44	-	-	8.8	9.6	-	9.2
	45	-	-	-	9.6	-	9.6
	46	-	-	-	9.6	-	9.6
	47	-	-	-	9.6	-	9.6
	48	-	-	-	9.6	-	9.6
	49	-	-	-	9.5	-	9.5
	50	-	-	-	9.4	-	9.4
	51	-	-	-	9.4	-	9.4
	52	-	-	-	9.4	-	9.4
	53	-	-	-	9.4	-	9.4
	54	-	-	-	9.4	-	9.4
	55	-	-	-	9.4	-	9.4
	56	-	-	-	9.4	-	9.4
	57	-	-	-	9.4	-	9.4
	58	-	-	-	9.4	-	9.4
	59	-	-	-	9.3	-	9.3
	60	-	-	-	9.3	-	9.3
	61	-	-	-	9.2	-	9.2
	62	-	-	-	9.2	-	9.2
	63	-	-	-	9.2	-	9.2
	64	-	-	-	9.1	-	9.1
	65	-	-	-	9.1	-	9.1
	66	-	-	-	9.1	-	9.1
	67	-	-	-	9.1	-	9.1
	68	-	-	-	8.9	-	8.9
	69	-	-	-	8.7	-	8.7
	70	-	-	-	8.6	-	8.6
	71	-	-	-	8.5	-	8.5
	72	-	-	-	8.5	-	8.5
	73	-	-	-	8.2	-	8.2
	74	-	-	-	7.6	-	7.6
75	-	-	-	7.1	-	7.1	
底層	9.6	8.8	8.8	7.1	9.5		
底層深度	6	22	44	75	14		

月日	深度(m)	地 点					平均值
		I	II	III	IV	V	
7/13	0.5	8.6	8.5	8.6	8.5	8.7	8.6
	1	8.6	8.5	8.6	8.5	8.7	8.6
	2	8.6	8.5	8.6	8.5	8.7	8.6
	3	8.6	8.5	8.6	8.5	8.7	8.6
	4	8.6	8.5	8.7	8.5	8.7	8.6
	5	8.6	8.5	8.6	8.4	8.6	8.5
	6	8.6	8.5	8.6	8.3	8.6	8.5
	7	-	8.5	8.6	8.2	8.6	8.5
	8	-	8.5	8.5	8.2	8.5	8.4
	9	-	8.4	8.0	8.2	8.4	8.3
	10	-	8.4	7.7	8.2	8.4	8.2
	11	-	8.4	7.7	8.1	8.3	8.1
	12	-	8.4	7.7	8.1	8.5	8.2
	13	-	7.5	7.6	7.5	7.6	7.6
	14	-	6.6	7.2	7.0	7.6	7.1
	15	-	6.6	6.8	7.0	-	6.8
	16	-	6.8	7.1	7.1	-	7.0
	17	-	7.0	7.7	7.8	-	7.5
	18	-	7.3	8.0	8.4	-	7.9
	19	-	7.6	8.2	8.5	-	8.1
	20	-	7.7	8.4	8.5	-	8.2
	21	-	7.6	8.5	8.7	-	8.3
	22	-	7.4	8.6	8.9	-	8.3
	23	-	-	8.6	9.1	-	8.9
	24	-	-	8.7	9.2	-	9.0
	25	-	-	8.8	9.2	-	9.0
	26	-	-	8.9	9.2	-	9.1
	27	-	-	8.9	9.3	-	9.1
	28	-	-	8.9	9.3	-	9.1
	29	-	-	8.9	9.2	-	9.1
	30	-	-	8.8	9.2	-	9.0
	31	-	-	8.7	9.1	-	8.9
	32	-	-	8.6	9.0	-	8.8
	33	-	-	8.3	9.1	-	8.7
	34	-	-	8.2	9.1	-	8.7
	35	-	-	8.2	9.1	-	8.7
	36	-	-	8.1	9.2	-	8.7
	37	-	-	8.1	9.1	-	8.6
	38	-	-	8.1	9.2	-	8.7
	39	-	-	8.0	9.2	-	8.6
	40	-	-	8.0	9.4	-	8.7
	41	-	-	7.9	9.4	-	8.7
	42	-	-	7.9	9.4	-	8.7
	43	-	-	7.9	9.3	-	8.6
	44	-	-	7.9	9.3	-	8.6
	45	-	-	7.9	9.2	-	8.6
	46	-	-	7.8	9.2	-	8.5
	47	-	-	7.8	9.0	-	8.4
	48	-	-	-	9.0	-	9.0
	49	-	-	-	9.0	-	9.0
	50	-	-	-	9.1	-	9.1
	51	-	-	-	9.3	-	9.3
	52	-	-	-	9.1	-	9.1
	53	-	-	-	8.8	-	8.8
	54	-	-	-	8.7	-	8.7
	55	-	-	-	8.7	-	8.7
	56	-	-	-	8.7	-	8.7
	57	-	-	-	8.5	-	8.5
	58	-	-	-	8.2	-	8.2
	59	-	-	-	8.0	-	8.0
	60	-	-	-	7.9	-	7.9
	61	-	-	-	7.6	-	7.6
	62	-	-	-	7.3	-	7.3
	63	-	-	-	7.2	-	7.2
	64	-	-	-	7.0	-	7.0
	65	-	-	-	7.4	-	7.4
	66	-	-	-	7.7	-	7.7
	67	-	-	-	7.9	-	7.9
	68	-	-	-	7.6	-	7.6
	69	-	-	-	7.5	-	7.5
	70	-	-	-	7.4	-	7.4
	71	-	-	-	7.3	-	7.3
	72	-	-	-	6.9	-	6.9
	73	-	-	-	6.6	-	6.6
	74	-	-	-	6.2	-	6.2
75	-	-	-	6.1	-	6.1	
底層	8.6	7.4	7.8	6.1	7.6		
底層深度	6	22	47	75	14		

表7-3 溶存酸素量(mg/L) 多項目水質計による測定値

月日	深度(m)	地 点					平均值
		I	II	III	IV	V	
8/17	0.5	8.0	8.1	8.0	7.8	7.8	7.9
	1	8.0	8.1	8.0	7.8	7.8	7.9
	2	7.8	8.1	8.0	7.8	7.8	7.9
	3	7.8	8.1	8.0	7.8	7.8	7.9
	4	6.9	8.1	8.0	7.8	7.8	7.7
	5	6.1	8.1	8.0	7.8	7.8	7.6
	6	6.5	8.1	8.0	7.8	7.8	7.6
	7	-	8.2	8.0	7.8	7.9	8.0
	8	-	8.3	8.0	8.6	7.9	8.2
	9	-	8.5	8.1	9.0	7.9	8.4
	10	-	7.9	8.3	9.0	7.4	8.2
	11	-	7.3	7.8	8.3	6.7	7.5
	12	-	6.7	7.1	6.9	6.3	6.8
	13	-	6.2	5.9	6.1	-	6.1
	14	-	6.1	6.2	6.1	-	6.1
	15	-	5.3	6.2	6.0	-	5.8
	16	-	5.2	6.6	6.1	-	6.0
	17	-	5.8	7.0	6.2	-	6.3
	18	-	6.5	7.3	6.5	-	6.8
	19	-	7.1	7.4	6.8	-	7.1
	20	-	6.6	7.6	7.2	-	7.1
	21	-	6.6	7.9	7.6	-	7.4
	22	-	-	8.4	7.9	-	8.2
	23	-	-	8.6	8.1	-	8.4
	24	-	-	8.7	8.3	-	8.5
	25	-	-	8.7	8.6	-	8.7
	26	-	-	8.7	8.7	-	8.7
	27	-	-	8.7	8.9	-	8.8
	28	-	-	8.8	8.9	-	8.9
	29	-	-	8.8	9.0	-	8.9
	30	-	-	8.9	9.0	-	9.0
	31	-	-	8.9	9.0	-	9.0
	32	-	-	8.9	9.0	-	9.0
	33	-	-	8.9	9.0	-	9.0
	34	-	-	8.5	9.1	-	8.8
	35	-	-	8.3	9.1	-	8.7
	36	-	-	8.2	9.1	-	8.7
	37	-	-	8.2	9.1	-	8.7
	38	-	-	8.1	9.1	-	8.6
	39	-	-	7.9	9.1	-	8.5
	40	-	-	7.8	9.2	-	8.5
	41	-	-	7.8	9.2	-	8.5
	42	-	-	7.7	9.1	-	8.4
	43	-	-	7.5	8.9	-	8.2
	44	-	-	7.2	8.8	-	8.0
	45	-	-	7.4	8.8	-	8.1
	46	-	-	7.3	8.8	-	8.1
	47	-	-	-	8.7	-	8.7
	48	-	-	-	8.7	-	8.7
	49	-	-	-	8.6	-	8.6
	50	-	-	-	8.5	-	8.5
	51	-	-	-	8.5	-	8.5
	52	-	-	-	8.5	-	8.5
	53	-	-	-	8.6	-	8.6
	54	-	-	-	8.4	-	8.4
	55	-	-	-	8.1	-	8.1
	56	-	-	-	7.7	-	7.7
	57	-	-	-	7.4	-	7.4
	58	-	-	-	7.1	-	7.1
	59	-	-	-	6.9	-	6.9
	60	-	-	-	6.8	-	6.8
	61	-	-	-	6.7	-	6.7
	62	-	-	-	6.5	-	6.5
	63	-	-	-	6.3	-	6.3
	64	-	-	-	6.0	-	6.0
	65	-	-	-	5.8	-	5.8
	66	-	-	-	5.6	-	5.6
	67	-	-	-	5.5	-	5.5
	68	-	-	-	5.5	-	5.5
	69	-	-	-	5.5	-	5.5
	70	-	-	-	5.4	-	5.4
	71	-	-	-	5.3	-	5.3
	72	-	-	-	5.1	-	5.1
	73	-	-	-	4.7	-	4.7
	74	-	-	-	4.5	-	4.5
75	-	-	-	4.4	-	4.4	
底層	6.5	6.6	7.3	4.4	6.3		
底層深度	6	21	46	75	12		

月日	深度(m)	地 点					平均值
		I	II	III	IV	V	
9/14	0.5	7.7	7.7	7.7	7.8	7.7	7.7
	1	7.7	7.7	7.7	7.8	7.7	7.7
	2	7.7	7.7	7.7	7.8	7.7	7.7
	3	7.7	7.7	7.7	7.8	7.7	7.7
	4	7.7	7.7	7.8	7.8	7.7	7.7
	5	7.7	7.7	7.8	7.8	7.7	7.7
	6	7.6	7.7	7.8	7.8	7.7	7.7
	7	-	7.7	7.8	7.8	7.7	7.8
	8	-	7.7	7.8	7.8	7.7	7.8
	9	-	7.7	7.8	7.8	7.5	7.7
	10	-	7.7	7.7	7.8	7.5	7.7
	11	-	7.7	7.7	7.8	6.3	7.4
	12	-	7.7	7.7	7.7	6.0	7.3
	13	-	7.7	7.7	7.1	5.9	7.1
	14	-	7.7	7.6	6.3	5.8	6.9
	15	-	7.8	7.5	6.1	5.8	6.8
	16	-	7.4	6.7	5.9	6.0	6.5
	17	-	6.0	6.5	6.1	-	6.2
	18	-	5.9	6.5	6.4	-	6.3
	19	-	6.0	6.6	6.6	-	6.4
	20	-	6.4	6.9	7.0	-	6.8
	21	-	6.6	7.2	7.3	-	7.0
	22	-	-	7.5	7.5	-	7.5
	23	-	-	7.6	7.7	-	7.7
	24	-	-	7.6	8.0	-	7.8
	25	-	-	7.8	8.2	-	8.0
	26	-	-	7.9	8.3	-	8.1
	27	-	-	8.0	8.4	-	8.2
	28	-	-	8.1	8.5	-	8.3
	29	-	-	8.1	8.6	-	8.4
	30	-	-	8.2	8.6	-	8.4
	31	-	-	8.2	8.6	-	8.4
	32	-	-	8.2	8.6	-	8.4
	33	-	-	8.1	8.5	-	8.3
	34	-	-	8.0	8.6	-	8.3
	35	-	-	7.9	8.6	-	8.3
	36	-	-	7.6	8.6	-	8.1
	37	-	-	7.3	8.6	-	8.0
	38	-	-	6.9	8.6	-	7.8
	39	-	-	6.8	8.6	-	7.7
	40	-	-	6.8	8.6	-	7.7
	41	-	-	6.8	8.6	-	7.7
	42	-	-	6.8	8.6	-	7.7
	43	-	-	6.8	8.6	-	7.7
	44	-	-	6.8	8.5	-	7.7
	45	-	-	6.8	8.5	-	7.7
	46	-	-	6.8	8.6	-	7.7
	47	-	-	6.8	8.4	-	7.6
	48	-	-	-	8.3	-	8.3
	49	-	-	-	8.3	-	8.3
	50	-	-	-	8.2	-	8.2
	51	-	-	-	8.0	-	8.0
	52	-	-	-	7.7	-	7.7
	53	-	-	-	7.5	-	7.5
	54	-	-	-	7.9	-	7.9
	55	-	-	-	8.1	-	8.1
	56	-	-	-	7.8	-	7.8
	57	-	-	-	7.2	-	7.2
	58	-	-	-	6.8	-	6.8
	59	-	-	-	6.4	-	6.4
	60	-	-	-	6.0	-	6.0
	61	-	-	-	5.7	-	5.7
	62	-	-	-	5.7	-	5.7
	63	-	-	-	6.1	-	6.1
	64	-	-	-	6.1	-	6.1
	65	-	-	-	5.7	-	5.7
	66	-	-	-	5.1	-	5.1
	67	-	-	-	4.6	-	4.6
	68	-	-	-	4.4	-	4.4
	69	-	-	-	4.4	-	4.4
	70	-	-	-	4.4	-	4.4
	71	-	-	-	4.4	-	4.4
	72	-	-	-	4.4	-	4.4
	73	-	-	-	4.4	-	4.4
	74	-	-	-	4.4	-	4.4
75	-	-	-	4.4	-	4.4	
底層	7.6	6.6	6.8	4.4	6.0		
底層深度	6	21	47	75	16		

表7-4 溶存酸素量(mg/L) 多項目水質計による測定値

月日	深度(m)	地 点					平均值
		I	II	III	IV	V	
10/12	0.5	8.7	8.5	8.4	8.5	8.6	8.5
	1	8.7	8.5	8.4	8.5	8.6	8.5
	2	8.7	8.5	8.4	8.5	8.6	8.5
	3	8.7	8.5	8.4	8.6	8.5	8.5
	4	8.7	8.5	8.4	8.6	8.5	8.5
	5	8.6	8.4	8.4	8.6	8.5	8.5
	6	8.6	8.4	8.4	8.6	8.5	8.5
	7	-	8.4	8.4	8.5	8.5	8.5
	8	-	8.4	8.4	8.5	8.5	8.5
	9	-	8.4	8.4	8.5	8.5	8.5
	10	-	8.4	8.4	8.5	8.5	8.5
	11	-	8.3	8.4	8.5	8.4	8.4
	12	-	8.4	8.3	8.4	8.4	8.4
	13	-	8.4	8.2	8.4	8.4	8.4
	14	-	8.4	8.0	8.4	8.5	8.3
	15	-	8.4	7.8	8.5	8.5	8.3
	16	-	8.3	7.6	6.8	-	7.6
	17	-	8.1	7.4	5.7	-	7.1
	18	-	7.2	6.3	5.6	-	6.4
	19	-	6.3	6.3	6.0	-	6.2
	20	-	5.7	6.5	6.4	-	6.2
	21	-	5.4	6.8	6.8	-	6.3
	22	-	-	7.2	7.0	-	7.1
	23	-	-	7.4	7.3	-	7.4
	24	-	-	7.6	7.5	-	7.6
	25	-	-	7.7	7.6	-	7.7
	26	-	-	7.7	7.7	-	7.7
	27	-	-	7.6	7.8	-	7.7
	28	-	-	7.5	8.0	-	7.8
	29	-	-	7.4	8.1	-	7.8
	30	-	-	7.7	8.1	-	7.9
	31	-	-	7.5	8.2	-	7.9
	32	-	-	7.2	8.2	-	7.7
	33	-	-	7.0	8.1	-	7.6
	34	-	-	7.0	8.0	-	7.5
	35	-	-	6.9	8.1	-	7.5
	36	-	-	6.8	8.1	-	7.5
	37	-	-	6.8	8.1	-	7.5
	38	-	-	6.7	8.0	-	7.4
	39	-	-	6.7	8.0	-	7.4
	40	-	-	6.6	8.0	-	7.3
	41	-	-	6.5	8.0	-	7.3
	42	-	-	6.4	8.0	-	7.2
	43	-	-	6.4	8.0	-	7.2
	44	-	-	6.3	8.1	-	7.2
	45	-	-	6.2	8.0	-	7.1
	46	-	-	6.2	7.9	-	7.1
	47	-	-	-	7.8	-	7.8
	48	-	-	-	7.7	-	7.7
	49	-	-	-	7.7	-	7.7
	50	-	-	-	7.6	-	7.6
	51	-	-	-	7.7	-	7.7
	52	-	-	-	7.7	-	7.7
	53	-	-	-	7.4	-	7.4
	54	-	-	-	7.3	-	7.3
	55	-	-	-	7.2	-	7.2
	56	-	-	-	6.8	-	6.8
	57	-	-	-	6.8	-	6.8
	58	-	-	-	6.9	-	6.9
	59	-	-	-	6.8	-	6.8
	60	-	-	-	6.8	-	6.8
	61	-	-	-	6.7	-	6.7
	62	-	-	-	6.7	-	6.7
	63	-	-	-	6.1	-	6.1
	64	-	-	-	5.7	-	5.7
	65	-	-	-	5.8	-	5.8
	66	-	-	-	5.6	-	5.6
	67	-	-	-	5.6	-	5.6
	68	-	-	-	5.6	-	5.6
	69	-	-	-	5.2	-	5.2
	70	-	-	-	5.1	-	5.1
	71	-	-	-	4.0	-	4.0
	72	-	-	-	2.8	-	2.8
	73	-	-	-	2.4	-	2.4
	74	-	-	-	2.3	-	2.3
75	-	-	-	2.3	-	2.3	
底層		8.6	5.4	6.2	2.3	8.5	
底層深度		6	21	46	75	15	

月日	深度(m)	地 点					平均值
		I	II	III	IV	V	
11/16	0.5	10.1	9.7	9.9	9.9	9.8	9.9
	1	10.2	9.7	9.9	9.9	9.8	9.9
	2	10.2	9.7	9.9	9.9	9.8	9.9
	3	10.2	9.7	9.8	9.9	9.8	9.9
	4	10.1	9.7	9.8	9.9	9.8	9.9
	5	10.1	9.7	9.8	9.9	9.8	9.9
	6	10.0	9.7	9.8	9.9	9.8	9.8
	7	-	9.6	9.8	9.9	9.7	9.8
	8	-	9.6	9.7	9.8	9.7	9.7
	9	-	9.6	9.7	9.8	9.7	9.7
	10	-	9.6	9.7	9.8	9.7	9.7
	11	-	9.6	9.6	9.8	9.7	9.7
	12	-	9.5	9.5	9.7	9.7	9.6
	13	-	9.5	9.5	9.7	9.6	9.6
	14	-	9.5	9.5	9.6	9.6	9.6
	15	-	9.5	9.5	9.6	9.6	9.6
	16	-	9.5	9.5	9.6	9.5	9.5
	17	-	9.5	9.5	9.5	8.9	9.4
	18	-	9.5	9.5	9.6	8.1	9.2
	19	-	9.5	9.5	9.6	7.0	8.9
	20	-	9.5	9.5	9.6	6.2	8.7
	21	-	9.5	9.4	9.6	5.9	8.6
	22	-	9.5	9.5	9.6	-	9.5
	23	-	-	8.9	9.0	-	9.0
	24	-	-	8.3	7.1	-	7.7
	25	-	-	7.4	6.5	-	7.0
	26	-	-	6.8	6.4	-	6.6
	27	-	-	6.8	6.4	-	6.6
	28	-	-	7.0	6.5	-	6.8
	29	-	-	7.2	6.8	-	7.0
	30	-	-	7.3	7.3	-	7.3
	31	-	-	7.3	7.3	-	7.3
	32	-	-	7.3	7.4	-	7.4
	33	-	-	7.2	7.5	-	7.4
	34	-	-	7.3	7.6	-	7.5
	35	-	-	7.2	7.7	-	7.5
	36	-	-	7.1	7.7	-	7.4
	37	-	-	7.2	7.8	-	7.5
	38	-	-	7.1	7.4	-	7.3
	39	-	-	7.0	7.4	-	7.2
	40	-	-	7.0	7.4	-	7.2
	41	-	-	6.8	7.4	-	7.1
	42	-	-	6.8	7.2	-	7.0
	43	-	-	6.7	7.1	-	6.9
	44	-	-	6.7	7.2	-	7.0
	45	-	-	6.7	7.3	-	7.0
	46	-	-	6.6	7.2	-	6.9
	47	-	-	-	7.3	-	7.3
	48	-	-	-	7.1	-	7.1
	49	-	-	-	6.8	-	6.8
	50	-	-	-	6.5	-	6.5
	51	-	-	-	6.2	-	6.2
	52	-	-	-	6.1	-	6.1
	53	-	-	-	5.9	-	5.9
	54	-	-	-	5.6	-	5.6
	55	-	-	-	5.3	-	5.3
	56	-	-	-	5.1	-	5.1
	57	-	-	-	5.0	-	5.0
	58	-	-	-	4.8	-	4.8
	59	-	-	-	4.8	-	4.8
	60	-	-	-	5.0	-	5.0
	61	-	-	-	5.3	-	5.3
	62	-	-	-	5.7	-	5.7
	63	-	-	-	5.8	-	5.8
	64	-	-	-	5.8	-	5.8
	65	-	-	-	5.9	-	5.9
	66	-	-	-	6.1	-	6.1
	67	-	-	-	5.9	-	5.9
	68	-	-	-	5.4	-	5.4
	69	-	-	-	5.4	-	5.4
	70	-	-	-	3.2	-	3.2
	71	-	-	-	2.6	-	2.6
	72	-	-	-	2.8	-	2.8
	73	-	-	-	2.0	-	2.0
	74	-	-	-	1.5	-	1.5
75	-	-	-	1.3	-	1.3	
底層		10.0	9.5	6.6	1.3	5.9	
底層深度		6	22	46	75	21	



