

表2-1 滋賀県の年齢調整死亡率(人口10万対)

年		平成12 2000	17 2005	22 2010	25 2013	26 2014	27 2015	28 2016	29 2017
全死因	男	1729.6	1624.5	1482.2	1432.8	1405.5	1354.8	1341.4	1330.5
	女	978.0	876.7	813.4	723.6	766.4	762.8	724.0	743.8
悪性新生物	男	516.2	468.6	458.3	437.2	430.1	403.1	415.9	404.8
	女	230.4	229.9	204.7	167.7	173.1	205.9	164.4	156.8
胃の悪性新生物	男	90.6	76.0	74.8	67.6	63.5	62.0	57.9	59.4
	女	36.6	38.8	29.8	23.5	28.3	24.7	26.4	20.8
結腸の悪性新生物	男	27.2	26.4	30.3	29.9	31.5	30.5	30.6	30.5
	女	25.1	23.4	19.2	23.9	21.6	21.4	18.6	21.0
直腸S状結腸移行部 及び直腸の悪性新生物	男	21.0	20.7	20.0	16.3	12.0	12.7	16.2	14.9
	女	8.3	6.8	8.2	6.3	6.1	7.2	6.8	7.1
大腸の悪性新生物	男	48.2	47.1	50.3	46.2	43.5	43.2	46.9	45.4
	女	33.4	30.2	27.4	30.2	27.7	28.5	25.4	28.1
肝及び肝内胆管の 悪性新生物	男	45.8	40.7	32.4	35.4	30.5	29.9	31.4	26.4
	女	17.4	18.2	15.3	12.7	13.7	12.5	11.7	9.7
膵の悪性新生物	男	28.8	37.4	35.4	34.8	33.7	29.4	35.6	31.3
	女	19.2	17.8	18.4	21.3	19.8	23.9	20.3	23.5
気管、気管支及び肺の 悪性新生物	男	143.8	119.4	121.8	113.7	119.5	105.1	106.5	105.0
	女	31.7	27.0	27.0	27.2	29.0	29.1	27.2	27.1
乳房の悪性新生物	女	13.2	17.9	14.1	18.0	16.4	16.4	17.1	14.2
子宮の悪性新生物	女	9.0	7.3	8.2	5.7	7.5	7.6	6.0	8.4
前立腺の悪性新生物	男	23.6	29.9	26.5	25.5	26.5	20.7	22.7	18.2
糖尿病	男	13.5	16.5	9.4	10.0	10.5	11.3	10.4	14.2
	女	12.4	10.3	9.9	6.3	8.2	6.7	7.3	6.0
高血圧性疾患	男	9.8	7.5	4.6	6.9	3.0	3.0	5.4	4.2
	女	11.7	6.7	6.9	3.9	4.1	3.9	3.9	6.0
心疾患	男	254.1	240.3	215.9	213.6	210.8	212.5	201.3	205.6
	女	187.1	157.9	153.3	133.9	138.9	133.2	126.1	137.0
急性心筋梗塞	男	83.5	80.2	48.9	64.5	65.5	55.6	57.6	56.7
	女	51.7	40.4	26.3	33.9	30.7	27.3	24.4	27.8
その他の虚血性心疾患	男	27.1	28.4	33.2	31.0	26.4	30.5	33.9	30.4
	女	20.5	20.0	22.2	15.9	14.4	11.7	16.3	15.0
虚血性心疾患	男	110.6	108.4	82.1	95.5	91.9	86.1	91.4	87.1
	女	72.2	60.4	48.5	49.8	45.2	39.0	40.7	42.7
心不全	男	90.8	79.0	83.5	78.9	81.8	89.0	72.6	84.2
	女	78.9	61.0	69.7	58.2	66.6	62.9	55.1	60.8
脳血管疾患	男	199.5	169.9	138.9	119.4	104.6	85.7	87.5	85.3
	女	153.8	118.5	83.4	65.4	70.2	62.6	55.2	61.2
くも膜下出血	男	17.6	12.2	13.2	12.2	12.4	9.3	10.6	8.7
	女	19.6	18.3	13.5	11.4	12.4	11.2	9.4	10.6
脳内出血	男	40.3	37.2	34.1	33.2	32.5	22.4	26.4	27.1
	女	30.4	21.1	21.5	14.6	18.8	15.5	14.4	15.6
脳梗塞	男	134.2	115.2	85.5	72.1	57.7	51.1	49.6	46.0
	女	98.1	74.4	44.7	38.1	36.3	33.7	29.2	32.6
大動脈瘤及び解離	男	13.5	19.6	18.8	17.2	20.8	17.2	14.2	21.1
	女	4.7	10.7	10.7	10.9	11.3	11.1	11.8	12.4
肺炎	男	242.2	218.8	186.0	173.8	148.2	147.0	140.3	103.4
	女	100.4	83.0	69.5	56.1	63.3	56.7	50.0	37.1
慢性閉塞性肺疾患	男	53.1	51.1	37.6	36.4	39.4	33.2	31.1	34.9
	女	7.6	5.0	4.5	3.4	2.5	3.8	2.7	2.8
肝疾患	男	17.1	16.6	17.0	8.5	16.3	14.5	13.6	15.1
	女	6.0	6.6	8.5	3.9	6.7	6.6	8.4	7.3
腎不全	男	42.0	34.3	37.5	24.2	34.2	25.1	27.8	28.3
	女	22.7	21.2	23.2	13.4	17.9	16.1	14.9	16.6
老衰	男	29.7	33.1	36.3	51.9	58.6	62.7	59.5	56.4
	女	35.4	31.2	41.8	45.7	55.0	60.3	62.2	69.0
不慮の事故	男	76.9	67.2	55.5	51.9	53.8	55.3	50.7	53.1
	女	38.1	31.7	25.7	25.4	26.3	27.8	22.5	25.3
交通事故	男	18.9	17.2	12.3	7.7	8.5	9.2	7.6	5.6
	女	7.0	6.6	4.5	3.7	3.2	3.7	3.6	2.5
自殺	男	36.9	34.2	31.9	32.4	26.0	25.7	22.8	21.9
	女	11.1	14.7	13.9	12.8	12.3	10.7	10.6	8.0

表2-2 滋賀県の年齢調整死亡率(人口10万対)

年		30 2018	令和元 2019	2 2020	3 2021	4 2022	5 2023
全死因	男	1317.2	1257.1	1214.7	1223.3	1329.0	1277.9
	女	734.4	713.8	679.2	698.8	734.2	718.1
悪性新生物	男	381.6	381.0	372.0	353.1	367.0	348.3
	女	160.9	153.3	155.3	149.2	148.3	142.6
胃の悪性新生物	男	57.9	54.2	48.3	41.6	46.8	41.6
	女	21.3	20.7	16.8	19.1	17.2	15.2
結腸の悪性新生物	男	30.3	27.1	27.7	30.7	24.4	26.7
	女	23.2	19.9	22.4	19.9	19.0	18.4
直腸S状結腸移行部 及び直腸の悪性新生物	男	13.1	13.9	13.1	13.0	17.9	17.1
	女	6.5	7.4	6.7	7.0	6.5	7.4
大腸の悪性新生物	男	43.4	41.0	40.8	43.7	42.3	43.8
	女	29.8	31.4	29.1	26.9	25.6	25.7
肝及び肝内胆管の 悪性新生物	男	27.6	24.7	22.4	23.6	24.9	21.3
	女	11.5	9.3	9.1	9.7	7.5	7.4
膵の悪性新生物	男	33.8	32.5	33.1	31.4	30.8	29.7
	女	22.3	24.1	26.0	23.1	23.8	21.6
気管、気管支及び肺の 悪性新生物	男	95.7	100.1	100.0	92.2	97.7	90.9
	女	27.3	25.0	28.4	26.3	24.9	24.1
乳房の悪性新生物	女	18.6	20.0	14.9	15.9	18.4	15.2
子宮の悪性新生物	女	6.9	6.1	5.7	7.2	11.3	6.8
前立腺の悪性新生物	男	20.4	21.2	17.2	22.5	20.0	22.3
糖尿病	男	14.7	11.9	12.1	12.5	15.8	13.1
	女	6.8	6.1	5.8	7.8	8.4	7.3
高血圧性疾患	男	7.0	4.4	5.0	4.1	6.6	5.7
	女	5.3	4.0	3.9	5.0	5.0	4.0
心疾患	男	194.1	170.9	178.5	181.5	196.6	186.4
	女	132.6	117.0	107.1	106.9	119.0	110.1
急性心筋梗塞	男	56.6	50.0	51.5	52.5	60.5	53.2
	女	26.7	24.7	25.1	25.2	25.1	24.8
その他の虚血性心疾患	男	26.3	22.4	26.4	23.0	22.0	19.4
	女	13.5	11.2	9.1	7.2	8.7	6.9
虚血性心疾患	男	83.0	72.4	77.9	75.5	82.5	72.6
	女	40.2	35.9	34.2	32.4	33.8	31.7
心不全	男	75.5	67.7	60.8	67.5	78.0	69.6
	女	63.2	52.6	48.2	47.8	55.4	52.9
脳血管疾患	男	85.0	83.4	76.2	73.7	77.5	71.0
	女	59.0	54.5	48.0	49.6	45.8	42.1
くも膜下出血	男	9.1	7.3	5.0	6.4	7.0	6.3
	女	11.6	9.4	6.6	7.3	7.4	7.4
脳内出血	男	27.9	28.4	29.1	24.7	25.4	23.3
	女	15.7	17.4	13.5	14.7	15.5	11.0
脳梗塞	男	46.6	47.2	41.7	42.1	43.6	40.2
	女	28.8	26.4	26.8	26.7	22.2	22.9
大動脈瘤及び解離	男	17.9	16.5	15.6	13.6	16.2	17.7
	女	13.6	12.4	10.3	11.9	9.9	12.2
肺炎	男	106.7	83.3	69.7	63.8	58.4	59.8
	女	37.3	32.3	23.9	24.7	20.7	21.9
慢性閉塞性肺疾患	男	30.2	33.6	27.2	26.2	29.1	28.5
	女	3.1	3.5	2.5	2.6	2.0	2.2
肝疾患	男	12.2	14.9	15.9	18.1	13.9	15.6
	女	6.4	7.2	7.7	6.0	6.5	6.6
腎不全	男	29.6	28.2	29.9	27.0	30.4	25.1
	女	12.9	13.9	12.9	13.8	16.2	15.7
老衰	男	64.5	71.7	75.4	81.9	91.9	85.4
	女	66.4	77.5	81.2	92.4	96.6	99.7
不慮の事故	男	49.4	44.0	42.0	42.8	44.5	46.4
	女	21.7	21.1	21.4	19.7	23.1	21.2
交通事故	男	6.6	6.7	6.1	3.9	3.3	4.3
	女	1.9	3.2	1.8	1.2	2.4	1.5
自殺	男	22.3	22.6	21.8	21.0	26.7	22.7
	女	8.4	10.2	11.3	10.4	10.2	10.8

表3-1 全国の年齢調整死亡率(人口10万対)

年		平成12 2000	17 2005	22 2010	23 2011	24 2012	25 2013	26 2014	27 2015
全死因	男	1761.3	1659.7	1564.6	1570.6	1528.8	1487.4	1449.7	1434.9
	女	976.4	891.5	833.7	852.4	828.1	813.6	793.2	787.2
悪性新生物	男	519.3	494.4	469.4	461.5	453.3	445.8	438.4	433.0
	女	236.1	225.0	216.2	214.5	211.9	210.3	208.8	206.6
胃の悪性新生物	男	97.0	83.2	73.8	71.5	68.0	65.8	63.3	60.9
	女	36.9	31.0	26.0	25.1	24.3	23.3	22.5	21.3
結腸の悪性新生物	男	37.0	35.1	34.1	34.3	34.4	34.0	33.4	34.2
	女	24.1	24.1	22.8	22.9	23.1	23.0	22.9	23.1
直腸S状結腸移行部 及び直腸の悪性新生物	男	20.9	20.7	18.6	19.2	19.0	18.6	18.5	18.4
	女	9.2	8.7	8.0	7.9	8.2	7.7	7.8	7.8
大腸の悪性新生物	男	57.9	55.8	52.7	53.5	53.4	52.6	51.9	52.6
	女	33.3	32.8	30.8	30.8	31.3	30.7	30.7	30.9
肝及び肝内胆管の 悪性新生物	男	59.0	52.5	44.6	43.0	40.3	39.2	37.5	36.5
	女	21.3	19.4	17.1	16.1	15.2	14.5	14.1	13.2
膵の悪性新生物	男	28.8	29.2	30.6	30.5	31.2	31.1	31.8	30.8
	女	18.1	18.7	20.5	20.9	21.0	21.1	21.3	21.4
気管、気管支及び肺の 悪性新生物	男	116.5	114.9	112.2	109.9	108.3	106.7	105.0	104.4
	女	30.3	29.6	29.5	29.0	29.1	29.2	28.9	28.7
乳房の悪性新生物	女	16.1	17.6	19.4	19.7	19.1	19.9	19.9	20.2
子宮の悪性新生物	女	9.9	9.0	9.1	9.3	9.2	9.0	9.5	9.4
前立腺の悪性新生物	男	29.5	29.4	28.8	27.6	27.4	27.3	26.3	25.2
糖尿病	男	18.8	17.8	17.1	17.0	16.4	15.1	14.8	14.3
	女	12.6	11.6	10.2	10.0	9.6	8.8	8.4	7.9
高血圧性疾患	男	10.1	7.6	7.2	7.2	7.3	6.7	6.4	6.1
	女	9.8	6.8	6.1	6.1	5.9	5.7	5.2	4.8
心疾患	男	258.3	249.2	228.9	227.9	224.6	213.1	208.7	203.6
	女	174.7	161.8	147.4	145.8	143.2	137.3	131.8	127.4
急性心筋梗塞	男	82.1	70.9	55.6	55.1	52.1	47.6	45.6	43.3
	女	47.5	38.7	28.4	27.7	25.9	23.8	22.4	20.4
その他の虚血性心疾患	男	45.1	45.4	45.9	45.5	45.2	43.2	42.6	41.2
	女	26.6	23.6	22.7	21.4	21.2	20.1	19.2	18.4
虚血性心疾患	男	127.2	116.4	101.5	100.6	97.3	90.8	88.2	84.5
	女	74.1	62.3	51.1	49.1	47.1	43.9	41.6	38.8
心不全	男	81.6	78.0	75.0	74.1	73.4	70.2	68.3	66.6
	女	64.3	61.1	60.1	59.9	59.3	57.4	54.6	53.3
脳血管疾患	男	236.1	194.3	153.7	147.3	139.7	130.3	121.7	116.0
	女	161.4	125.3	93.3	91.1	86.0	81.2	75.6	72.6
くも膜下出血	男	12.8	12.1	10.2	9.7	9.4	8.9	8.7	8.4
	女	18.5	15.9	12.7	12.6	11.8	11.1	11.1	10.7
脳内出血	男	50.1	46.2	42.1	40.7	39.4	37.2	36.1	34.9
	女	31.0	26.8	22.3	22.3	21.2	20.5	19.5	18.9
脳梗塞	男	166.8	131.0	97.4	93.4	87.7	81.1	73.8	69.8
	女	106.3	79.0	55.8	53.8	50.7	47.7	43.0	41.1
大動脈瘤及び解離	男	15.9	18.0	19.9	-	-	-	-	17.8
	女	7.5	9.0	10.4	-	-	-	-	10.6
肺炎	男	217.3	213.4	191.9	191.3	182.1	173.6	162.3	160.3
	女	99.1	91.8	80.2	80.7	76.5	72.5	67.8	66.4
慢性閉塞性肺疾患	男	39.9	36.8	35.4	-	-	-	-	29.0
	女	7.7	6.2	5.3	-	-	-	-	3.9
肝疾患	男	24.9	22.6	20.4	20.4	19.6	19.3	18.4	18.1
	女	10.2	9.4	8.5	8.6	8.0	7.9	7.9	7.8
腎不全	男	33.7	32.3	31.5	31.3	30.9	30.2	28.7	28.0
	女	21.9	20.2	18.2	18.2	18.0	17.1	16.2	15.5
老衰	男	42.8	35.3	44.6	48.4	54.2	57.7	60.0	65.2
	女	42.5	36.6	48.1	52.3	57.7	63.6	65.7	71.5
不慮の事故	男	67.3	60.0	54.3	68.2	51.6	48.8	46.7	45.1
	女	30.0	26.7	25.0	39.2	24.4	22.6	21.9	21.1
交通事故	男	17.8	13.2	9.0	8.3	7.7	7.4	7.0	6.9
	女	6.8	5.0	3.6	3.3	3.2	2.9	2.6	2.5
自殺	男	38.5	37.6	35.0	33.1	30.9	30.4	28.2	27.0
	女	14.7	13.1	13.1	13.8	12.2	12.1	11.5	10.6

表3-2 全国の年齢調整死亡率(人口10万対)

年		28 2016	29 2017	30 2018	令和元 2019	2 2020	3 2021	4 2022	5 2023
全死因	男	1409.4	1400.9	1375.7	1352.8	1328.7	1355.8	1437.4	1414.3
	女	771.9	764.4	756.6	745.9	722.1	737.8	785.8	775.4
悪性新生物	男	424.4	415.1	402.9	397.8	394.7	390.8	385.4	376.5
	女	205.6	200.7	199.6	197.6	196.4	195.5	197.4	193.4
胃の悪性新生物	男	57.8	56.1	53.2	50.7	49.6	47.9	45.6	43.1
	女	20.5	19.7	19.1	18.2	17.5	17.0	16.5	15.3
結腸の悪性新生物	男	33.4	33.4	32.4	31.9	32.4	32.2	31.6	31.1
	女	22.7	22.6	22.3	22.0	21.7	21.8	21.9	21.9
直腸S状結腸移行部 及び直腸の悪性新生物	男	18.4	17.8	17.2	17.5	17.0	17.1	16.9	16.6
	女	7.7	7.4	7.4	7.6	7.5	7.2	7.4	7.4
大腸の悪性新生物	男	51.8	51.2	49.6	49.4	49.4	49.3	48.6	47.7
	女	30.4	30.0	29.7	29.6	29.2	29.0	29.3	29.3
肝及び肝内胆管の 悪性新生物	男	35.0	33.0	31.2	30.0	28.9	27.9	27.1	25.9
	女	13.1	11.7	11.0	10.2	10.1	9.5	9.0	8.6
膵の悪性新生物	男	31.9	31.8	32.2	31.9	33.0	33.4	33.4	33.4
	女	22.0	22.1	22.5	23.1	23.5	23.7	24.1	24.4
気管、気管支及び肺の 悪性新生物	男	100.9	99.5	96.1	95.5	94.3	92.8	92.0	89.3
	女	28.4	27.3	27.8	27.4	27.3	27.6	27.2	26.8
乳房の悪性新生物	女	20.6	20.7	21.0	21.2	20.6	20.6	21.9	21.3
子宮の悪性新生物	女	9.2	9.5	9.7	9.7	9.6	9.6	10.1	10.0
前立腺の悪性新生物	男	25.3	24.7	24.3	24.2	24.2	24.4	24.2	23.6
糖尿病	男	14.2	14.7	14.5	13.8	13.9	14.1	15.7	14.9
	女	7.7	7.5	7.4	7.1	6.9	7.0	7.4	7.1
高血圧性疾患	男	6.2	8.3	8.1	7.9	8.2	8.0	9.3	9.0
	女	4.6	6.2	5.9	5.7	5.7	5.7	6.1	5.8
心疾患	男	199.9	200.4	197.4	191.5	190.1	193.8	205.7	201.6
	女	123.1	122.6	120.1	115.6	109.2	110.2	115.9	111.8
急性心筋梗塞	男	40.8	38.6	36.2	33.3	32.5	32.0	33.4	31.6
	女	19.0	17.8	16.6	15.1	14.0	13.7	13.6	13.2
その他の虚血性心疾患	男	40.0	40.0	41.1	39.6	40.5	40.8	44.0	42.7
	女	18.0	17.2	17.3	16.4	16.2	15.9	17.1	16.3
虚血性心疾患	男	80.8	78.6	77.3	72.9	73.0	72.8	77.4	74.4
	女	37.0	35.0	33.9	31.5	30.2	29.6	30.7	29.5
心不全	男	67.0	71.3	70.3	70.4	69.0	71.6	76.4	75.9
	女	51.3	53.6	53.2	52.1	48.9	50.2	53.3	51.7
脳血管疾患	男	110.0	107.5	102.3	98.2	93.8	93.7	94.3	89.8
	女	68.0	65.7	62.8	59.9	56.4	55.1	55.2	53.2
くも膜下出血	男	8.3	8.1	7.7	7.5	7.1	7.0	7.3	7.0
	女	10.4	10.2	9.9	9.4	9.2	8.5	8.8	8.6
脳内出血	男	34.0	33.9	33.4	32.6	31.9	31.4	32.0	30.5
	女	18.2	18.0	17.9	17.2	16.3	16.1	16.5	16.2
脳梗塞	男	65.2	62.9	58.8	55.6	52.5	52.8	52.2	49.7
	女	37.5	35.7	33.4	31.6	29.3	28.9	28.4	26.8
大動脈瘤及び解離	男	18.7	19.0	18.3	17.3	17.3	17.3	17.7	17.7
	女	11.1	11.4	10.9	11.0	10.5	10.8	10.8	10.8
肺炎	男	152.6	120.3	112.5	109.7	90.1	81.9	80.1	79.1
	女	61.8	47.8	44.7	43.3	33.4	29.8	29.2	29.6
慢性閉塞性肺疾患	男	27.8	32.3	31.2	29.0	25.7	25.4	25.1	24.9
	女	3.6	3.8	3.7	3.3	2.9	2.9	2.8	2.7
肝疾患	男	18.2	19.6	19.7	19.6	20.2	20.2	21.2	20.6
	女	7.7	8.0	7.9	7.8	7.7	7.9	8.1	8.0
腎不全	男	27.5	27.2	27.5	27.2	27.3	28.7	29.8	28.7
	女	14.6	14.3	14.1	13.9	13.5	13.7	14.3	13.8
老衰	男	67.5	71.1	72.7	76.6	82.7	90.0	104.1	106.2
	女	73.7	76.2	78.2	82.8	85.8	93.8	106.4	109.4
不慮の事故	男	44.2	45.6	45.3	41.9	40.8	40.2	43.9	44.8
	女	20.5	21.0	20.9	19.4	18.2	17.8	20.1	19.9
交通事故	男	6.4	5.9	5.4	5.0	4.4	4.1	4.1	4.2
	女	2.3	2.3	2.0	1.8	1.5	1.5	1.5	1.5
自殺	男	24.3	23.8	23.0	22.7	22.6	22.5	23.9	24.1
	女	9.8	9.4	9.5	8.9	10.3	10.6	10.8	10.5

表4 滋賀県の標準化死亡比

年		平成22 2010	27 2015	30 2018	令和元 2019	2 2020	3 2021	4 2022	5 2023
全死因	男	94.1	92.9	93.8	92.2	90.1	89.1	91.7	89.8
	女	98.9	97.7	98.1	96.7	95.6	96.2	95.1	94.6
悪性新生物	男	98.4	92.1	93.7	95.7	93.6	90.0	95.2	92.2
	女	96.1	100.7	99.0	93.6	96.4	91.0	89.8	91.8
胃の悪性新生物	男	104.6	99.0	105.8	107.5	95.2	88.3	100.8	97.9
	女	116.1	116.2	113.2	114.8	99.3	110.6	105.6	100.7
結腸の悪性新生物	男	86.7	91.0	94.7	86.5	85.4	93.3	76.1	85.8
	女	86.4	93.5	105.1	96.1	104.3	89.6	89.0	84.1
直腸S状結腸移行部 及び直腸の悪性新生物	男	107.0	70.2	74.8	77.4	74.8	78.0	106.4	102.9
	女	103.8	94.0	95.8	97.4	93.1	98.0	90.9	103.8
肝及び肝内胆管の 悪性新生物	男	72.5	79.7	85.4	80.7	76.8	83.5	92.0	80.9
	女	91.0	96.3	107.4	91.0	91.8	101.0	81.4	84.9
膵の悪性新生物	男	114.5	92.1	104.2	104.4	101.6	93.2	93.1	89.4
	女	92.0	111.6	101.0	105.4	109.9	99.5	100.2	92.1
気管、気管支及び肺の 悪性新生物	男	108.1	101.1	98.7	102.8	104.9	98.2	106.8	101.0
	女	94.3	102.0	102.4	93.2	104.6	94.1	88.7	93.7
乳房の悪性新生物	女	72.4	81.7	88.7	90.7	72.3	74.8	83.9	76.0
子宮の悪性新生物	女	88.7	86.4	68.7	64.0	62.3	71.9	112.3	68.1
前立腺の悪性新生物	男	94.8	79.0	85.8	89.8	71.0	94.9	81.0	94.1
糖尿病	男	54.8	81.7	96.3	81.2	82.2	85.8	99.8	87.5
	女	100.1	85.4	95.5	89.4	86.9	121.0	108.9	111.5
高血圧性疾患	男	56.1	49.0	81.9	49.0	57.0	46.8	69.7	60.8
	女	115.6	85.9	93.8	73.5	72.5	99.3	86.5	70.5
心疾患	男	90.8	100.0	95.7	88.2	91.6	92.1	94.7	91.6
	女	106.0	106.5	110.9	102.6	100.2	99.2	105.2	100.9
急性心筋梗塞	男	93.6	125.9	155.3	149.4	156.7	165.8	183.4	167.0
	女	94.3	133.0	154.2	157.6	175.6	181.4	183.8	186.3
その他の虚血性心疾患	男	67.9	70.7	61.4	55.0	62.1	55.7	49.2	44.7
	女	100.3	64.1	77.9	68.5	59.8	52.4	52.3	44.9
心不全	男	106.3	126.8	104.3	94.6	86.0	89.8	100.5	90.5
	女	117.1	121.0	121.7	103.0	101.6	97.0	107.5	105.1
脳血管疾患	男	88.7	72.6	80.0	85.7	80.6	78.0	80.9	79.1
	女	90.2	86.9	95.5	91.6	85.6	91.3	84.6	80.4
くも膜下出血	男	132.1	104.7	114.6	93.8	73.0	91.3	94.7	89.2
	女	107.2	105.4	117.9	100.9	71.7	90.9	84.2	88.0
脳内出血	男	77.0	66.3	80.3	86.2	91.4	77.1	79.0	77.3
	女	96.8	83.8	90.7	103.1	83.3	91.8	100.3	70.9
脳梗塞	男	85.8	71.1	75.1	87.5	77.3	79.4	82.2	80.3
	女	81.2	82.5	88.4	84.4	90.3	93.3	79.0	85.1
大動脈瘤及び解離	男	91.8	98.1	93.0	96.1	88.3	73.6	90.7	100.8
	女	105.3	105.4	127.7	114.6	99.8	112.2	97.6	115.8
肺炎	男	95.1	93.2	92.0	74.3	75.2	74.9	71.8	74.8
	女	87.7	85.0	82.2	74.5	74.3	79.4	71.2	77.4
慢性閉塞性肺疾患	男	109.4	115.9	95.1	110.6	105.5	102.4	115.2	112.1
	女	85.1	96.3	86.9	108.1	87.4	97.0	76.0	79.7
肝疾患	男	80.3	82.1	59.4	76.7	77.4	87.2	65.8	74.4
	女	101.1	84.9	84.0	95.8	104.8	75.8	82.2	81.9
腎不全	男	116.9	92.6	108.7	99.1	108.4	92.8	95.7	88.6
	女	126.3	106.0	92.6	103.9	95.5	105.3	114.6	111.7
老衰	男	85.0	94.6	87.5	94.3	89.2	91.3	88.0	79.8
	女	88.2	85.3	84.2	93.6	95.2	98.3	91.9	91.9
不慮の事故	男	99.8	120.0	108.7	103.8	102.6	105.2	96.9	103.6
	女	103.2	131.5	107.2	109.0	118.5	113.3	118.9	111.1
交通事故	男	130.7	135.9	120.0	134.7	139.2	93.8	83.6	109.9
	女	122.4	146.3	94.9	176.6	118.6	88.6	168.4	104.7
自殺	男	96.6	96.0	96.0	99.4	96.1	93.8	110.5	95.8
	女	106.5	99.3	87.5	119.4	112.5	97.5	96.9	102.7

表5 令和5年 性・主要死因別死亡数・死亡率・年齢調整死亡率・標準化死亡比

	死亡数 (人)			死亡率 (人口10万対)			年齢調整死亡率 (人口10万対)			年齢調整死亡率(全国) (人口10万対)			標準化死亡比 (全国=100)		
	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女
全死因	14,955	7,645	7,310	1,089.2	1,130.9	1,048.8	954.1	1,277.9	718.1	1,037.4	1,414.3	775.4	92.7	89.8	94.6
悪性新生物	3,677	2,177	1,500	267.8	322.0	215.2	246.9	348.3	142.6	268.3	376.5	193.4	92.9	92.2	91.8
胃	400	264	136	29.1	39.1	19.5	27.0	41.6	15.2	26.9	43.1	15.3	100.0	97.9	100.7
結腸	329	166	163	24.0	24.6	23.4	22.0	26.7	18.4	25.9	31.1	21.9	85.3	85.8	84.1
直腸S状結腸移行部及び直腸	171	108	63	12.5	16.0	9.0	11.7	17.1	7.4	11.5	16.6	7.4	104.0	102.9	103.8
肝及び肝内胆管	196	131	65	14.3	19.4	9.3	13.2	21.3	7.4	15.9	25.9	8.6	83.1	80.9	84.9
膵	379	190	189	27.6	28.1	27.1	25.5	29.7	21.6	28.5	33.4	24.4	90.9	89.4	92.1
気管、気管支及び肺	786	570	216	57.2	84.3	31.0	52.7	90.9	24.1	53.1	89.3	26.8	100.2	101.0	93.7
乳房	125	1	124	9.1	0.1	17.8	8.4		15.2	11.7		21.3	75.1		76.0
子宮			51			7.3		22.3	6.8		23.6			94.1	68.1
前立腺	133			19.7											
糖尿病	156	81	75	11.4	12.0	10.8	10.1	13.1	7.3	10.5	14.9	7.1	98.2	87.5	111.5
高血圧性疾患	77	32	45	5.6	4.7	6.5	4.8	5.7	4.0	7.3	9.0	5.8	66.2	60.8	70.5
心疾患	2,278	1,097	1,181	165.9	162.3	169.4	143.0	186.4	110.1	149.7	201.6	111.8	96.7	91.6	100.9
急性心筋梗塞	561	327	234	40.9	48.4	33.6	37.4	53.2	24.8	21.2	31.6	13.2	175.9	167.0	186.3
その他の虚血性心疾患	187	118	69	13.6	17.5	9.9	12.2	19.4	6.9	27.6	42.7	16.3	45.1	44.7	44.9
心不全	996	390	606	72.5	57.7	86.9	59.9	69.6	52.9	61.3	75.9	51.7	99.3	90.5	105.1
脳血管疾患	857	434	423	62.4	64.2	60.7	55.0	71.0	42.1	69.1	89.8	53.2	80.2	79.1	80.4
くも膜下出血	103	40	63	7.5	5.9	9.0	7.0	6.3	7.4	8.0	7.0	8.6	88.1	89.2	88.0
脳内出血	253	148	105	18.4	21.9	15.1	17.0	23.3	11.0	22.7	30.5	16.2	74.9	77.3	70.9
脳梗塞	485	238	247	35.3	35.2	35.4	30.0	40.2	22.9	36.3	49.7	26.8	83.3	80.3	85.1
大動脈瘤及び解離	223	107	116	16.2	15.8	16.6	14.6	17.7	12.2	13.6	17.2	10.8	108.5	100.8	115.8
肺炎	588	342	246	42.8	50.6	35.3	36.0	59.8	21.9	47.6	79.1	29.6	76.9	74.8	77.4
慢性閉塞性肺疾患	190	169	21	13.8	25.0	3.0	12.1	28.5	2.2	11.1	24.9	2.7	110.2	112.1	79.7
誤嚥性肺炎	732	441	291	53.3	65.2	41.8	44.9	78.4	26.4	37.4	65.5	22.1	120.9	118.3	120.1
肝疾患	152	98	54	11.1	14.5	7.7	10.9	15.6	6.6	13.9	20.7	8.0	77.2	74.4	81.9
腎不全	306	149	157	22.3	22.0	22.5	19.4	25.1	15.7	19.3	28.7	13.8	100.1	88.6	111.7
老衰	1,692	441	1,251	123.2	65.2	179.5	96.3	85.4	99.7	109.6	106.2	109.4	88.4	79.8	91.9
不慮の事故	492	282	210	35.8	41.7	30.1	31.7	46.4	21.2	29.9	44.8	19.9	107.6	103.6	111.1
交通事故	42	30	12	3.1	4.4	1.7	2.8	4.3	1.5	2.7	4.2	1.5	109.2	109.9	104.7
自殺	229	154	75	16.7	22.8	10.8	16.6	22.7	10.8	17.1	24.0	10.5	98.2	95.8	102.7

滋賀県の死因統計解析
市町別標準化死亡比(2013 年～2022 年)
2025 年 2 月発行

発行 滋賀県衛生科学センター
〒529-0834 大津市御殿浜 13-45
TEL 077-537-7438
E-mail eh4505@pref.shiga.lg.jp