



診断年別_主要部位別_件数（上皮内がんを除く）（初発のみ）（男女計）




診断年別_主な原発部位別_件数（上皮内がんを除く）（初発のみ）（男性）




● 食道	18	17	19	20	25	23	26	18	28	24
▲ 胃	120	97	110	115	97	83	62	68	82	87
● 大腸	74	72	78	81	67	81	88	65	84	77
▲ 肝	16	16	22	25	12	18	24	15	14	19
◆ 膵	22	27	22	24	29	25	18	19	29	29
● 肺	113	138	148	145	155	122	122	128	137	125
◆ 前立腺	96	104	112	78	91	108	80	104	112	77

診断年別_主な原発部位別_件数（上皮内がんを除く）（初発のみ）（女性）



● 食道	3	4	7	6	2	4	1	6	7	4
▲ 胃	47	38	48	38	40	30	36	23	37	36
● 大腸	53	52	47	52	57	56	83	63	58	93
▲ 肝	7	9	6	5	4	8	10	3	8	3
◆ 膵	11	12	27	26	19	19	17	19	23	30
● 肺	58	48	58	56	58	61	57	47	57	72
◆ 乳房	79	127	113	93	132	129	126	176	160	184
- - ● 子宮頸部	21	38	37	32	32	23	26	32	41	22
- - ● 子宮体部	26	31	18	31	23	32	34	35	33	40


原発部位	診断年	初発診断数	UICC 治療前病期(c-Stage)							UICC 術後病理学的病期(p-Stage)							手術なし
			0期	I 期	II 期	III 期	IV 期	不明 該当なし	I 期 IV 期比	0期	I 期	II 期	III 期	IV 期	術前 治療あり	不明 該当なし	
食道	2015	22	1	8	2	7	3	1	2.7	1	4	1		1	3		12
	2016	28	6	10	5	2	5		2.0	7	6		1	1	3		10
	2017	30	4	7	1	9	9		0.8	4	5	1	1		3		16
	2018	32	6	7	3	7	7	2	1.0	6	7				7	2	10
	2019	34	6	12	4	3	6	3	2.0	7	4	1			2	2	18
	2020	28	2	6	4	7	8	1	0.8	1	7		1	2	4		13
	2021	28		8	4	4	11	1	0.7	1	7	1	2		1	1	15
	2022	24		8	5	4	4	3	2.0		8	3			2	1	10
	2023	38	2	11	6	5	7	7	1.6	3	9	1	1	1	2	1	20
	2024	28	1	8	2	3	11	3	0.7		8				2	3	15
胃	2015	169		95	19	20	33	2	2.9		76	20	16	9		6	42
	2016	142		83	19	17	15	8	5.5		73	9	21	9	2		28
	2017	162		96	22	11	24	9	4.0		89	11	16	7	4		35
	2018	153		98	14	14	25	2	3.9		85	14	14	8	1	4	27
	2019	138		88	6	11	23	10	3.8		77	6	13	4	5	2	31
	2020	113		54	19	15	16	9	3.4		46	14	13	5	1	3	31
	2021	98		44	15	10	24	5	1.8		38	12	8	2	5	3	30
	2022	91		56	6	12	16	1	3.5		48	9	8	1	5	2	18
	2023	119		62	13	12	24	8	2.6		51	12	9	5		6	36
	2024	123		59	8	9	30	17	2.0		56	5	13	3	2	3	41
大腸 (結腸 ＋ 直腸)	2015	149	19	54	27	20	25	4	2.2	21	45	29	19	17	2	3	13
	2016	149	22	54	19	19	25	10	2.2	24	42	23	26	15	5		14
	2017	151	23	45	34	19	27	3	1.7	26	36	26	22	21	6		14
	2018	165	19	50	22	41	27	6	1.9	32	31	29	32	14	9	3	15
	2019	160	29	46	18	37	22	8	2.1	36	30	27	26	11	9	2	19
	2020	164	25	35	39	28	31	6	1.1	27	31	39	23	18	7		19
	2021	193	18	43	52	33	41	6	1.0	22	45	40	32	20	12		22
	2022	142	13	32	28	28	35	6	0.9	14	20	31	32	11	7		27
	2023	166	19	31	36	31	23	26	1.3	24	24	32	34	10	12	2	28
	2024	201	31	48	29	37	39	17	1.2	31	47	29	27	26	7	2	32
肝	2015	23		9	6	5	3		3.0		5	3	2	1			12
	2016	25		10	4	6	3	2	3.3		5	3	2				15
	2017	28		16	7	4	1		16.0		7	3	1				17
	2018	30		18	3	3	3	3	6.0		12	1	1	1			15
	2019	16		4	7	2	2	1	2.0		2	3				2	9
	2020	26		10	6	4	3	3	3.3		6		1			3	16
	2021	34		21	3	4		6	-		12	4	2		1		15
	2022	18		8	8	1	1	0	8.0		6	5					7
	2023	22		11	4	5	2		5.5		6	4					12
	2024	22		13	1	6	1	1	13.0		12	1				1	8
膵	2015	34		3	6	5	20		0.2	1		6		2		1	24
	2016	39		6	10	1	21	1	0.3		3	8		3	1		24
	2017	49		1	16	5	24	3	0.04		1	9		1	3		35
	2018	50		16	5	4	25		0.6		2	9	1	3	3	1	31
	2019	48		16	3	2	26	1	0.6		4	7	1	3	4		29
	2020	44		7	4	7	26		0.3		2	4				3	35
	2021	35		11	1	7	14	2	0.8			4			4	1	26
	2022	40	1	8	5	5	20	1	0.4	2	1	2			4		31
	2023	52		19	7	2	20	4	1.0		1	2	2		12		35
	2024	60		17	4	8	29	2	0.6	1	2	5		1	11	1	39




原発部位	診断年	初発診断数	UICC 治療前病期(c-Stage)							UICC 術後病理学的病期(p-Stage)							手術なし
			0期	I 期	II 期	III 期	IV 期	不明 該当なし	I 期 IV 期比	0期	I 期	II 期	III 期	IV 期	術前 治療あり	不明 該当なし	
肺	2015	171		61	15	32	57	6	1.1		53	7	14	2	3		92
	2016	186		94	15	20	52	5	1.1		70	8	7	10	4		87
	2017	206		83	18	36	65	4	1.3		64	13	10	5	2		112
	2018	203		82	17	34	59	11	1.4	2	66	13	10	5	3	2	102
	2019	221	6	91	20	24	71	9	1.3	8	74	15	9	7	2		106
	2020	187		73	15	30	66	3	1.1	4	62	7	10	2	1	2	99
	2021	186	2	82	16	29	45	12	1.8	7	67	10	16	6	1	1	78
	2022	177	1	69	16	22	65	4	1.1	2	67	6	8	1			93
	2023	196	2	83	13	23	65	10	1.3	2	66	10	7	3	3	2	103
	2024	207	4	88	17	22	58	18	1.5	10	69	9	5	5	2	1	106
乳房	2015	94	8	51	22	5	7	1	7.3	12	40	21	3	1	4		13
	2016	144	24	67	30	12	10	1	6.7	15	64	20	12	1	23		9
	2017	137	26	55	34	12	4	6	13.8	21	50	20	7		28	3	8
	2018	111	16	47	28	6	5	9	9.4	17	38	12	3		31		10
	2019	152	20	64	44	13	8	3	8.0	18	62	18	9		34		11
	2020	147	19	62	37	16	7	6	8.9	18	47	23	6		35	1	17
	2021	149	20	59	41	19	7	3	8.4	20	39	22	14		38		16
	2022	200	32	69	66	17	15	1	4.6	22	60	33	3		58		24
	2023	204	47	76	39	12	7	23	10.9	40	73	30	7		32	3	19
	2024	228	38	86	59	17	12	16	7.2	36	84	28	12		44	3	21
子宮頸部	2015	101	77	9	6	3	1	5	9.0	76	8	1	1	2	3		10
	2016	132	93	14	4	9	8	4	1.8	92	12	1	6	2	3		16
	2017	108	74	9	18	5	2		4.5	69	10	2	5	1	3		18
	2018	94	65	8	11	7	2	1	4.0	58	10	2	3		2	1	18
	2019	81	50	9	9	6	7		1.3	47	4	2	2		4		22
	2020	78	57	9	5	2	4	1	2.3	55	7	2	3		2		9
	2021	82	58	8	11	4	1		8.0	53	7	1	6		3		12
	2022	84	53	5	11	11	2	2	2.5	50	6		2		2		24
	2023	71	37	10	9	14		1	-	29	12		3		1		26
	2024	58	37	5	5	7	3	1	1.7	35	5		1	1			16
子宮体部	2015	26		20	4	1	1		20.0		17	4	2	1		1	1
	2016	31		22	2	4	1	2	22.0		21	3	3	1			3
	2017	18		13		2	1	2	13.0		12	1	3				2
	2018	31		28		2	1		28.0		20	1	5	1	1		3
	2019	23		18		4	1		18.0		17	3	2		1		
	2020	32		27	1	1	1	2	27.0		27		3	1			1
	2021	34		27	1	2	4		6.8		27			3	1		3
	2022	35		28	1	4	2		14.0		26	2	3	2			2
	2023	33		25	2	2	4		6.3		21	1	6	4		1	
	2024	40		32	2	1	3	2	10.7		29	3	1	2	1	2	2
前立腺	2015	96		33	38	13	12		2.8		4	22	5	4			61
	2016	104		33	34	14	21	2	1.6		4	13	10	2	2		73
	2017	112		49	26	19	16	2	3.1		1	12	3		2		94
	2018	78		29	17	19	11	2	2.6		1	7	2				68
	2019	91		43	16	18	11	3	3.9		3	17	1		4		66
	2020	108		48	17	25	16	2	3.0		6	14	2	1	2		83
	2021	80		32	14	20	12	2	2.7		5	10	2				63
	2022	104		41	16	24	21	2	2.0			18	9	2	1		74
	2023	112		40	25	24	19	4	2.1			14	7		1		90
	2024	77		27	26	6	15	3	1.8			10	7				60

原発 部位	UICC(治療前) c-Stage						UICC(術後病理学的) p-Stage							
	0期	I 期	II 期	III 期	IV 期	不明	0期	I 期	II 期	III 期	IV 期	術前	不明	
肺	2015							2015						
	2016							2016						
	2017							2017						
	2018							2018						
	2019							2019						
	2020							2020						
	2021							2021						
	2022							2022						
	2023							2023						
	2024							2024						
乳房	2015							2015						
	2016							2016						
	2017							2017						
	2018							2018						
	2019							2019						
	2020							2020						
	2021							2021						
	2022							2022						
	2023							2023						
	2024							2024						
子宮 頸部	2015							2015						
	2016							2016						
	2017							2017						
	2018							2018						
	2019							2019						
	2020							2020						
	2021							2021						
	2022							2022						
	2023							2023						
	2024							2024						
子宮 体部	2015							2015						
	2016							2016						
	2017							2017						
	2018							2018						
	2019							2019						
	2020							2020						
	2021							2021						
	2022							2022						
	2023							2023						
	2024							2024						
前立腺	2015							2015						
	2016							2016						
	2017							2017						
	2018							2018						
	2019							2019						
	2020							2020						
	2021							2021						
	2022							2022						
	2023							2023						
	2024							2024						

原発部位	診断年	初発診断数	進展度(治療前)							進展度(術後病理学的)								手術なし
			上皮内	限局	領域リンパ節転移	隣接臓器浸潤	遠隔転移	不明該当なし	限局率	上皮内	限局	領域リンパ節転移	隣接臓器浸潤	遠隔転移	術前治療あり	不明該当なし	限局率	
食道	2015	22	1	8	2	7	3	1	40.9%	1	4	1		1	3		50.0%	12
	2016	28	6	10	2	5	5		57.1%	7	6		1	1	3		72.2%	10
	2017	30	4	7		10	9		36.7%	4	5		2		3		64.3%	16
	2018	32	6	8	4	9	5		43.8%	6	7	1			7		59.1%	10
	2019	34	6	11	3	11	2	1	50.0%	7	4		1		2		68.8%	18
	2020	28	2	8		11	6	1	35.7%	1	7		3		4		53.3%	13
	2021	28		11		7	9	1	39.3%	1	7		3		1		61.5%	15
	2022	24		9	2	7	3	3	37.5%		9		2		2		64.3%	10
	2023	38	2	13	4	5	8	6	39.5%	3	9	1	2		2	1	66.7%	20
	2024	28	1	10		6	11		39.3%		8				2	3	61.5%	15
胃	2015	169		102	13	18	34	2	60.4%		81	18	13	9		6	63.8%	42
	2016	142		87	13	18	16	8	61.3%		70	20	13	9	2		61.4%	28
	2017	162		115	7	15	24	1	71.0%		93	11	12	7	4		73.2%	35
	2018	153		101	10	15	25	2	66.0%		86	21	6	8	1		68.3%	27
	2019	138		92	6	9	21	10	66.7%		78	6	12	4	5		72.9%	31
	2020	113		65	8	17	15	8	57.5%		50	14	9	5	1	3	61.0%	31
	2021	98		50	9	12	22	5	51.0%		40	14	4	2	5	3	58.8%	30
	2022	91		59	7	10	14	1	64.8%		49	9	7	1	5	2	67.1%	18
	2023	119		71	7	9	24	8	59.7%		57	9	6	5		6	68.7%	36
	2024	123		66	6	4	30	17	53.7%		57	9	8	3	2	3	69.5%	41
大腸(結腸+直腸)	2015	149	19	67	12	22	25	4	57.7%	21	67	18	8	17	2	3	64.7%	13
	2016	149	22	67	12	13	25	10	59.7%	24	61	21	9	15	5		63.0%	14
	2017	151	23	68	7	23	27	3	60.3%	26	56	17	11	21	6		59.9%	14
	2018	165	19	65	16	33	27	5	50.9%	32	52	26	15	14	9		56.0%	15
	2019	160	29	59	17	24	23	8	55.0%	36	53	20	10	11	9		63.1%	19
	2020	164	25	62	18	22	31	6	53.0%	27	67	15	11	18	7		64.8%	19
	2021	193	18	85	18	25	41	6	53.4%	22	78	26	13	20	12		58.5%	22
	2022	142	13	49	11	28	35	6	43.7%	14	47	24	12	11	7		53.0%	27
	2023	166	19	56	14	29	23	25	45.2%	24	54	30	8	10	12		56.5%	28
	2024	201	31	68	21	25	39	17	49.3%	31	74	24	6	27	7		62.1%	32
肝	2015	23		15		5	3		65.2%		8		2	1			72.7%	12
	2016	25		15		6	2	2	60.0%		9		1				90.0%	15
	2017	28		24		3	1		85.7%		11						100.0%	17
	2018	30		21		5	1	3	70.0%		13		2				86.7%	15
	2019	16		12			3	1	75.0%		5			1			71.4%	9
	2020	26		21		1	4		80.8%		7		1				70.0%	16
	2021	34		26		2		6	76.5%		17		1			1	89.5%	15
	2022	18		17	1				94.4%		11						100.0%	7
	2023	22		16		4	2		72.7%		10						100.0%	12
	2024	22		18		2	1	1	81.8%		13					1	92.9%	8
膵	2015	34		3		11	20		8.8%	1			6	2		1	10.0%	24
	2016	39		6		11	21	1	15.4%		3		8	3	1		20.0%	24
	2017	49		1		21	24	3	2.0%		1		9	1	3		7.1%	35
	2018	50		16	2	7	25		32.0%		2	8	2	3	3		10.5%	31
	2019	48		16	1	4	26	1	33.3%		4	4	4	3	4		21.1%	29
	2020	44		7	2	9	26		15.9%		2	3	1		3		22.2%	35
	2021	35		11		7	15	2	31.4%			2	2		4		0.0%	26
	2022	40	1	10	2	6	20	1	27.5%	2	2	1			4		44.4%	31
	2023	52		20	3	5	20	4	38.5%		1	1	3		12		5.9%	35
	2024	60		17	3	8	30	2	28.3%	1	2	4	1	1	11	1	14.3%	39



原発部位	診断年	初発診断数	進展度(治療前)							進展度(術後病理学的)								手術なし
			上皮内	限局	領域リンパ節転移	隣接臓器浸潤	遠隔転移	不明該当なし	限局率	上皮内	限局	領域リンパ節転移	隣接臓器浸潤	遠隔転移	術前治療あり	不明該当なし	限局率	
肺	2015	171		69	18	12	66	6	40.4%		55	14	5	2	3		69.6%	92
	2016	186		98	14	8	61	5	52.7%		73	8	3	11	4		73.7%	87
	2017	206		87	29	16	70	4	42.2%		65	18	3	6	2		69.1%	112
	2018	203		85	14	29	64	11	41.9%	2	66	13	10	5	3		67.3%	102
	2019	221	6	95	12	22	79	7	45.7%	8	81	12	5	7	2		77.4%	106
	2020	187		81	9	28	66	3	43.3%	4	65	5	10	2	1		78.4%	99
	2021	186	2	86	12	25	49	12	47.3%	7	70	11	12	6	1		71.3%	78
	2022	177	1	74	13	16	70	3	42.4%	2	69	3	9	1			84.5%	93
	2023	196	2	83	12	21	68	10	43.4%	2	67	10	6	3	3		74.2%	103
	2024	207	4	92	10	19	64	18	46.4%	10	70	7	6	5	2	1	79.2%	106
乳房	2015	94	8	67	7	4	7	1	79.8%	12	48	14	2	1	4		74.1%	13
	2016	144	24	87	15	6	11	1	77.1%	15	70	22	3	2	23		63.0%	9
	2017	137	26	74	18	8	5	6	73.0%	21	59	15	3		28		62.0%	8
	2018	111	16	67	13	3	5	7	74.8%	17	46	6	1		31		62.4%	10
	2019	152	20	95	17	8	9	3	75.7%	18	68	18	3		34		61.0%	11
	2020	147	19	84	19	11	8	6	70.1%	18	60	12	4		35		60.0%	17
	2021	149	20	85	20	12	9	3	70.5%	20	52	19	4		38		54.1%	16
	2022	200	32	114	27	10	16	1	73.0%	22	78	17	1		58		56.3%	24
	2023	204	47	102	16	7	9	23	73.0%	40	83	25	1	1	32		66.5%	19
	2024	228	38	126	28	7	13	16	71.9%	36	100	19	5		44	3	65.7%	21
子宮頸部	2015	101	77	9	1	8	1	5	85.1%	76	8		2	2	3		92.3%	10
	2016	132	93	14	2	11	8	4	81.1%	92	12	2	5	2	3		89.7%	16
	2017	108	74	9		24	1		76.9%	69	10	2	5	1	3		87.8%	18
	2018	94	65	8	1	17	2	1	77.7%	58	10		5		2		89.5%	18
	2019	81	50	9		17	5		72.8%	47	4	1	3		4		86.4%	22
	2020	78	57	9	1	6	4	1	84.6%	55	8	2	2		2		91.3%	9
	2021	82	58	8		15	1		80.5%	53	8	2	4		3		87.1%	12
	2022	84	53	5	1	23		2	69.0%	50	6	1	1		2		93.3%	24
	2023	71	37	10		23		1	66.2%	29	12	2	1		1		91.1%	26
	2024	58	37	5	1	11	3	1	72.4%	35	5	1		1			95.2%	16
子宮体部	2015	26		20		5	1		76.9%		17	1	5	1			68.0%	1
	2016	31		22		7		2	71.0%		21		6	1			75.0%	3
	2017	18		13		2	1	2	72.2%		12	1	3				75.0%	2
	2018	31		28		2	1		90.3%		20	1	5	1	1		71.4%	3
	2019	23		18	1	3	1		78.3%		17		5		1		73.9%	
	2020	32		27		2	1	2	84.4%		27		3	1			87.1%	1
	2021	34		27		3	4		79.4%		27			3	1		87.1%	3
	2022	35		28	2	3	2		80.0%		26	2	3	2			78.8%	2
	2023	33		25		4	4		75.8%		21	1	6	4			63.6%	
	2024	40		33		3	4		82.5%		29	5		2	1	1	76.3%	2
前立腺	2015	96		71		15	10		74.0%		26	2	7				74.3%	61
	2016	104		67	3	17	15	2	64.4%		17	1	11		2		54.8%	73
	2017	112		75		21	14	2	67.0%		13		3		2		72.2%	94
	2018	78		46		20	10	2	59.0%		8		2				80.0%	68
	2019	91		59	1	22	6	3	64.8%		20		1		4		80.0%	66
	2020	108		66	3	26	12	1	61.1%		20	1	2		2		80.0%	83
	2021	80		47		21	11	1	58.8%		15		2				88.2%	63
	2022	104		57	2	25	18	2	54.8%		18	1	9	1			60.0%	74
	2023	112		65		28	15	4	58.0%		14		7		1		63.6%	90
	2024	77		53		9	12	3	68.8%		10		7				58.8%	60



原発部位	診断年	初発診断数	手術（原発巣切除）					手術治療の結果			手術なし
				実施率	外科的治療	鏡視下の治療	内視鏡的治療	治癒切除	非治癒切除	治癒・非治癒不明	
食道	2015	22	10	45.5%	4	1	5	7	3		12
	2016	28	18	64.3%	4	4	10	16	2		10
	2017	30	14	46.7%	4	3	7	14			16
	2018	32	21	65.6%	3	7	11	20	1		11
	2019	34	14	41.2%	1	4	9	13	1		20
	2020	28	15	53.6%		8	7	15			13
	2021	28	12	42.9%		6	6	8	4		16
	2022	24	13	54.2%		8	5	13			11
	2023	38	16	42.1%	1	3	12	11	5		22
	2024	28	10	35.7%		3	8	10			18
胃	2015	169	122	72.2%	57	30	40	112	9	1	42
	2016	142	113	79.6%	56	20	38	103	10		29
	2017	162	127	78.4%	56	28	51	120	7		35
	2018	153	122	79.7%	59	25	43	113	9		31
	2019	138	105	76.1%	32	21	52	102	3		33
	2020	113	79	69.9%	33	16	33	74	5		34
	2021	98	65	66.3%	24	21	21	61	4		33
	2022	91	71	78.0%	24	20	32	69	2		20
	2023	119	76	63.9%	22	35	25	73	3		43
	2024	123	79	64.2%	10	36	37	72	7		44
大腸（結腸＋直腸）	2015	149	133	89.3%	35	77	33	116	17		13
	2016	149	134	89.9%	30	73	39	116	18		15
	2017	151	136	90.1%	27	75	39	126	10		15
	2018	165	147	89.1%	25	88	39	132	15		18
	2019	160	140	87.5%	25	70	41	133	7		20
	2020	164	144	87.8%	36	76	40	118	26		20
	2021	193	167	86.5%	25	113	40	138	29		26
	2022	142	114	80.3%	24	74	19	100	14		28
	2023	166	137	82.5%	18	96	29	125	12		29
	2024	201	167	83.1%	32	90	52	141	26		34
肝	2015	23	11	47.8%	11			8	3		12
	2016	25	10	40.0%	9	1		10			15
	2017	28	11	39.3%	9	2		11			17
	2018	30	15	50.0%	10	5		14	1		15
	2019	16	6	37.5%	6			5	1		10
	2020	26	8	30.8%	7	1		8			18
	2021	34	19	55.9%	13	6		17	2		15
	2022	18	11	61.1%	11			8	3		7
	2023	22	10	45.5%	4	6		10			12
	2024	22	13	59.1%	3	10		12	1		9
膵	2015	34	9	26.5%	10			7	2		24
	2016	39	15	38.5%	15			11	4		24
	2017	49	14	28.6%	14			10	4		35
	2018	50	18	36.0%	17	1		15	3		32
	2019	48	19	39.6%	18	1		16	3		29
	2020	44	9	20.5%	9			7	2		35
	2021	35	8	22.9%	8			8			27
	2022	40	9	22.5%	9			6	3		31
	2023	52	16	30.8%	16			15	1		36
	2024	60	20	33.3%	19	1		19	1		40

主要部位別_診断年別_初回治療別_件数（上皮内がんを含む）（初発のみ）

【2】4

原発部位	診断年	初発診断数	放射線治療		化学療法		内分泌療法		治療法併用				
				実施率		実施率		実施率	手術 + 放射線 + 化学	手術 + 放射線	手術 + 化学	手術 + 内分泌	放射線 + 化学
食道	2015	22	9	40.9%	11	50.0%			1	1	3		6
	2016	28	11	39.3%	9	32.1%			2		1		6
	2017	30	13	43.3%	15	50.0%					3		11
	2018	32	9	28.1%	17	53.1%			1		7		8
	2019	34	14	41.2%	14	41.2%			1		1		9
	2020	28	10	35.7%	17	60.7%			2		4		7
	2021	28	9	32.1%	17	60.7%			1	1	2		7
	2022	24	2	8.3%	9	37.5%					2		2
	2023	38	10	26.3%	18	47.4%			2		2		7
	2024	28	5	17.9%	15	53.6%					2		4
胃	2015	169	4	2.4%	46	27.2%					27		3
	2016	142	3	2.1%	35	24.6%					25		1
	2017	162	3	1.9%	40	24.7%			1		21		2
	2018	153	5	3.3%	26	17.0%			1		13		1
	2019	138	2	1.4%	34	24.6%			1		18		1
	2020	113	1	0.9%	29	25.7%					20		1
	2021	98	4	4.1%	37	37.8%					22		1
	2022	91	4	4.4%	26	28.6%					19		2
	2023	119	4	3.4%	31	26.1%					14		
	2024	123	5	4.1%	34	27.6%					20		
大腸（結腸 + 直腸）	2015	149	4	2.7%	53	35.6%			2		45		2
	2016	149	7	4.7%	53	35.6%			3		41		4
	2017	151	4	2.6%	55	36.4%			1		46		2
	2018	165	7	4.2%	50	30.3%			4	1	39		1
	2019	160	7	4.4%	55	34.4%			5		38		2
	2020	164	7	4.3%	64	39.0%			3	1	51		3
	2021	193	13	6.7%	85	44.0%			7		60		5
	2022	142	8	5.6%	53	37.3%			2	1	38		2
	2023	166	10	6.0%	59	35.5%			5		44		
	2024	201	10	5.0%	62	30.8%			2	1	46		1
肝	2015	23	2	8.7%	4	17.4%					2		
	2016	25	1	4.0%	2	8.0%							
	2017	28	1	3.6%	4	14.3%							
	2018	30	2	6.7%	3	10.0%							
	2019	16	2	12.5%	7	43.8%					1		1
	2020	26	5	19.2%	8	30.8%							1
	2021	34	1	2.9%	5	14.7%							
	2022	18			4	22.2%							
	2023	22	3	13.6%	7	31.8%							1
	2024	22		0.0%	5	22.7%							
膵	2015	34	2	5.9%	20	58.8%					6		2
	2016	39	5	12.8%	25	64.1%					10		4
	2017	49	4	8.2%	30	61.2%			1		10		2
	2018	50	4	8.0%	30	60.0%					10		4
	2019	48	2	4.2%	33	68.8%			2		12		
	2020	44	3	6.8%	31	70.5%					7		3
	2021	35	1	2.9%	25	71.4%					7		1
	2022	40			22	55.0%					4		
	2023	52	1	1.9%	32	61.5%					13		1
	2024	60	3	5.0%	36	60.0%					15		

原発部位	診断年	初発診断数	手術（原発巣切除）					手術治療の結果			手術なし
				実施率	外科的治療	鏡視下の治療	内視鏡的治療	治癒切除	非治癒切除	治癒・非治癒不明	
肺	2015	171	79	46.2%	1	78		75	4		92
	2016	186	99	53.2%		99		87	12		87
	2017	206	94	45.6%	5	89		86	8		112
	2018	203	100	49.3%	2	98		94	6		103
	2019	221	114	51.6%	4	110		109	5		107
	2020	187	87	46.5%	2	85		84	3		100
	2021	186	107	57.5%	1	106		97	10		79
	2022	177	84	47.5%	1	83		77	7		93
	2023	196	91	46.4%	1	90		89	1	1	105
	2024	207	99	47.8%		99		94	5		108
乳房	2015	94	81	86.2%	81			78	3		13
	2016	144	93	64.6%	93			87	6		51
	2017	137	86	62.8%	86			84	2		51
	2018	111	81	73.0%	81			78	3		30
	2019	152	91	59.9%	91			90	1		61
	2020	147	83	56.5%	83			81	2		64
	2021	149	115	77.2%	115			113	2		34
	2022	200	155	77.5%	155			149	6		45
	2023	204	160	78.4%	160			153	6	1	44
	2024	228	176	77.2%	176			174	2		52
子宮頸部	2015	101	91	90.1%	89	3		82	9		10
	2016	132	113	85.6%	102	11		93	20		19
	2017	108	89	82.4%	89			78	11		19
	2018	94	76	80.9%	75	1		67	9		18
	2019	81	59	72.8%	45	14		56	2	1	22
	2020	78	68	87.2%	57	13		67	1		10
	2021	82	68	82.9%	53	15		66	2		14
	2022	84	59	70.2%	42	17		55	4		25
	2023	71	42	59.2%	26	16		35	5	2	29
	2024	58	41	70.7%	19	22		39	2		17
子宮体部	2015	26	25	96.2%	22	3		22	1	2	1
	2016	31	28	90.3%	19	10		27	1		3
	2017	18	15	83.3%	15			14	1		3
	2018	31	28	90.3%	17	10	1	27	1		3
	2019	23	23	100.0%	10	13		23			
	2020	32	31	96.9%	13	17	1	28	3		1
	2021	34	31	91.2%	14	16	2	26	4	1	3
	2022	35	33	94.3%	19	14		31	2		2
	2023	33	32	97.0%	15	17		28	4		1
	2024	40	37	92.5%	18	19		35	1	1	3
前立腺	2015	96	35	36.5%		35		29	6		61
	2016	104	31	29.8%		31		22	9		73
	2017	112	18	16.1%	12	5	1	9	9		94
	2018	78	9	11.5%		9		8	1		69
	2019	91	25	27.5%		24	1	25			66
	2020	108	25	23.1%		21	4	24	1		83
	2021	80	17	21.3%		17		17			63
	2022	104	30	28.8%		30		21	9		74
	2023	112	22	19.6%		20	2	13	9		90
	2024	77	17	22.1%	1	15	1	11	6		60

原発部位	診断年	初発診断数	放射線治療		化学療法		内分泌療法		治療法併用				
				実施率		実施率		実施率	手術 + 放射線 + 化学	手術 + 放射線	手術 + 化学	手術 + 内分泌	放射線 + 化学
肺	2015	171	47	27.5%	85	49.7%			1	2	34		28
	2016	186	29	15.6%	90	48.4%			1	3	42		14
	2017	206	20	9.7%	108	52.4%			2	1	46		8
	2018	203	31	15.3%	93	45.8%			2	1	36		13
	2019	221	28	12.7%	106	48.0%			3		34		15
	2020	187	17	9.1%	89	47.6%				1	28		11
	2021	186	30	16.1%	75	40.3%			5		31		13
	2022	177	37	20.9%	66	37.3%			1	1	21		17
	2023	196	45	23.0%	85	43.4%			1	2	25		24
	2024	207	32	15.5%	87	42.0%			1	1	31		10
乳房	2015	94	62	66.0%	26	27.7%	57	60.6%	12	50	5	9	
	2016	144	102	70.8%	34	23.6%	73	50.7%	19	41	9	18	1
	2017	137	93	67.9%	32	23.4%	61	44.5%	12	37	15	16	2
	2018	111	50	45.0%	37	33.3%	36	32.4%	10	20	23	18	
	2019	152	102	67.1%	47	30.9%	66	43.4%	20	31	19	16	3
	2020	147	74	50.3%	52	35.4%	57	38.8%	13	13	26	19	3
	2021	149	64	43.0%	46	30.9%	83	55.7%	18	27	20	31	3
	2022	200	67	33.5%	71	35.5%	108	54.0%	20	22	38	55	5
	2023	204	63	30.9%	74	36.3%	98	48.0%	13	28	49	38	1
	2024	228	76	33.3%	85	37.3%	114	50.0%	27	15	43	50	5
子宮頸部	2015	101	7	6.9%	14	13.9%			1		8		5
	2016	132	20	15.2%	20	15.2%			5		10		4
	2017	108	15	13.9%	22	20.4%					14		7
	2018	94	13	13.8%	11	11.7%					8		3
	2019	81	24	29.6%	13	16.0%			4	2	4		5
	2020	78	13	16.7%	13	16.7%			3	1	5		4
	2021	82	14	17.1%	14	17.1%			3		7		4
	2022	84	25	29.8%	12	14.3%			2	2	1		9
	2023	71	28	39.4%	14	19.7%			1	2	1		12
	2024	58	15	25.9%	11	19.0%					3		7
子宮体部	2015	26			13	50.0%	1	3.8%			12	1	
	2016	31	2	6.5%	13	41.9%				1	13		
	2017	18	2	11.1%	5	27.8%			1		3		
	2018	31			9	29.0%					8		
	2019	23			10	43.5%					10		
	2020	32			7	21.9%					7		
	2021	34	1	2.9%	15	44.1%					13		1
	2022	35			15	42.9%	2	5.7%			15		
	2023	33	2	6.1%	15	45.5%				1	14		1
	2024	40			14	35.0%					12		
前立腺	2015	96	6	6.3%	6	6.3%	52	54.2%				6	
	2016	104	30	28.8%	5	4.8%	50	48.1%		4		4	1
	2017	112	47	42.0%	1	0.9%	47	42.0%				3	
	2018	78	38	48.7%	1	1.3%	32	41.0%					
	2019	91	35	38.5%			42	46.2%				4	
	2020	108	43	39.8%			55	50.9%		1		3	
	2021	80	29	36.3%			36	45.0%					
	2022	104	36	34.6%	4	3.8%	42	40.4%			1	1	
	2023	112	43	38.4%	1	0.9%	35	31.3%				1	
	2024	77	33	42.9%	2	2.6%	35	45.5%					