



第2部 主要部位別件数（2016年～2025年診断例）

診断年別_主要部位別_件数（上皮内がんを除く）（初発のみ）（男女計）




診断年別_主な原発部位別_件数（上皮内がんを除く）（初発のみ）（男性）




	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
● 食道	17	19	20	25	23	26	18	28	24	21
▲ 胃	97	110	115	97	83	62	68	82	87	86
● 大腸	72	78	81	67	81	88	65	84	77	75
▲ 肝	16	22	25	12	18	24	15	14	19	15
◆ 膵	27	22	24	29	25	18	19	29	29	39
● 肺	138	148	145	155	122	122	128	137	125	118
◆ 前立腺	104	112	78	91	108	80	104	112	77	90


診断年別_主な原発部位別_件数（上皮内がんを除く）（初発のみ）（女性）




原発部位	診断年	初発診断数	UICC 治療前病期(c-Stage)							UICC 術後病理学的病期(p-Stage)							手術なし
			0期	I 期	II 期	III 期	IV 期	不明 該当なし	I 期 IV 期比	0期	I 期	II 期	III 期	IV 期	術前 治療あり	不明 該当なし	
食道	2016	28	6	10	5	2	5		2.0	7	6		1	1	3		10
	2017	30	4	7	1	9	9		0.8	4	5	1	1		3		16
	2018	32	6	7	3	7	7	2	1.0	6	7				7	2	10
	2019	34	6	12	4	3	6	3	2.0	7	4	1			2	2	18
	2020	28	2	6	4	7	8	1	0.8	1	7		1	2	4		13
	2021	28		8	4	4	11	1	0.7	1	7	1	2		1	1	15
	2022	24		8	5	4	4	3	2.0		8	3			2	1	10
	2023	38	2	11	6	5	7	7	1.6	3	9	1	1	1	2	1	20
	2024	28	1	8	2	3	11	3	0.7		8				2	3	15
	2025	28	1	8	5	3	10	1	0.8		5			1	7		15
胃	2016	142		83	19	17	15	8	5.5		73	9	21	9	2		28
	2017	162		96	22	11	24	9	4.0		89	11	16	7	4		35
	2018	153		98	14	14	25	2	3.9		85	14	14	8	1	4	27
	2019	138		88	6	11	23	10	3.8		77	6	13	4	5	2	31
	2020	113		54	19	15	16	9	3.4		46	14	13	5	1	3	31
	2021	98		44	15	10	24	5	1.8		38	12	8	2	5	3	30
	2022	91		56	6	12	16	1	3.5		48	9	8	1	5	2	18
	2023	119		62	13	12	24	8	2.6		51	12	9	5		6	36
	2024	123		59	8	9	30	17	2.0		56	5	13	3	2	3	41
	2025	122		57	9	11	26	19	2.2		58	13	6	2	2	4	37
大腸 (結腸 ＋直腸)	2016	149	22	54	19	19	25	10	2.2	24	42	23	26	15	5		14
	2017	151	23	45	34	19	27	3	1.7	26	36	26	22	21	6		14
	2018	165	19	50	22	41	27	6	1.9	32	31	29	32	14	9	3	15
	2019	160	29	46	18	37	22	8	2.1	36	30	27	26	11	9	2	19
	2020	164	25	35	39	28	31	6	1.1	27	31	39	23	18	7		19
	2021	193	18	43	52	33	41	6	1.0	22	45	40	32	20	12		22
	2022	142	13	32	28	28	35	6	0.9	14	20	31	32	11	7		27
	2023	166	19	31	36	31	23	26	1.3	24	24	32	34	10	12	2	28
	2024	201	31	48	29	37	39	17	1.2	31	47	29	27	26	7	2	32
	2025	177	30	30	21	32	38	26	0.8	32	35	35	22	17	9	2	25
肝	2016	25		10	4	6	3	2	3.3		5	3	2				15
	2017	28		16	7	4	1		16.0		7	3	1				17
	2018	30		18	3	3	3	3	6.0		12	1	1	1			15
	2019	16		4	7	2	2	1	2.0		2	3				2	9
	2020	26		10	6	4	3	3	3.3		6		1			3	16
	2021	34		21	3	4		6	-		12	4	2		1		15
	2022	18		8	8	1	1		8.0		6	5					7
	2023	22		11	4	5	2		5.5		6	4					12
	2024	22		13	1	6	1	1	13.0		12	1				1	8
	2025	19		6	2	4	4	3	1.5		3	1	1		2	1	11
膵	2016	39		6	10	1	21	1	0.3		3	8		3	1		24
	2017	49		1	16	5	24	3	0.04		1	9		1	3		35
	2018	50		16	5	4	25		0.6		2	9	1	3	3	1	31
	2019	48		16	3	2	26	1	0.6		4	7	1	3	4		29
	2020	44		7	4	7	26		0.3		2	4				3	35
	2021	35		11	1	7	14	2	0.8			4			4	1	26
	2022	40	1	8	5	5	20	1	0.4	2	1	2			4		31
	2023	52		19	7	2	20	4	1.0		1	2	2		12		35
	2024	60		17	4	8	29	2	0.6	1	2	5		1	11	1	39
	2025	69		18	8	5	33	5	0.5		8	7	3	1	4	1	45




原発部位	診断年	初発診断数	UICC 治療前病期(c-Stage)							UICC 術後病理学的病期(p-Stage)							手術なし
			0期	I 期	II 期	III 期	IV 期	不明 該当なし	I 期 IV 期比	0期	I 期	II 期	III 期	IV 期	術前 治療あり	不明 該当なし	
肺	2016	186		94	15	20	52	5	1.1		70	8	7	10	4		87
	2017	206		83	18	36	65	4	1.3		64	13	10	5	2		112
	2018	203		82	17	34	59	11	1.4	2	66	13	10	5	3	2	102
	2019	221	6	91	20	24	71	9	1.3	8	74	15	9	7	2		106
	2020	187		73	15	30	66	3	1.1	4	62	7	10	2	1	2	99
	2021	186	2	82	16	29	45	12	1.8	7	67	10	16	6	1	1	78
	2022	177	1	69	16	22	65	4	1.1	2	67	6	8	1			93
	2023	196	2	83	13	23	65	10	1.3	2	66	10	7	3	3	2	103
	2024	207	4	88	17	22	58	18	1.5	10	69	9	5	5	2	1	106
	2025	156	1	72	12	20	41	10	1.8	4	53	11	9	5	3		71
乳房	2016	144	24	67	30	12	10	1	6.7	15	64	20	12	1	23		9
	2017	137	26	55	34	12	4	6	13.8	21	50	20	7		28	3	8
	2018	111	16	47	28	6	5	9	9.4	17	38	12	3		31		10
	2019	152	20	64	44	13	8	3	8.0	18	62	18	9		34		11
	2020	147	19	62	37	16	7	6	8.9	18	47	23	6		35	1	17
	2021	149	20	59	41	19	7	3	8.4	20	39	22	14		38		16
	2022	200	32	69	66	17	15	1	4.6	22	60	33	3		58		24
	2023	204	47	76	39	12	7	23	10.9	40	73	30	7		32	3	19
	2024	228	38	86	59	17	12	16	7.2	36	84	28	12		44	3	21
	2025	223	33	76	62	14	16	22	4.8	27	73	40	11		42	3	27
子宮頸部	2016	132	93	14	4	9	8	4	1.8	92	12	1	6	2	3		16
	2017	108	74	9	18	5	2		4.5	69	10	2	5	1	3		18
	2018	94	65	8	11	7	2	1	4.0	58	10	2	3		2	1	18
	2019	81	50	9	9	6	7		1.3	47	4	2	2		4		22
	2020	78	57	9	5	2	4	1	2.3	55	7	2	3		2		9
	2021	82	58	8	11	4	1		8.0	53	7	1	6		3		12
	2022	84	53	5	11	11	2	2	2.5	50	6		2		2		24
	2023	71	37	10	9	14		1	-	29	12		3		1		26
	2024	58	37	5	5	7	3	1	1.7	35	5		1	1			16
	2025	52	29	3	4	13	1	2	3.0	26	3	3	1				19
子宮体部	2016	31		22	2	4	1	2	22.0		21	3	3	1			3
	2017	18		13		2	1	2	13.0		12	1	3				2
	2018	31		28		2	1		28.0		20	1	5	1	1		3
	2019	23		18		4	1		18.0		17	3	2		1		
	2020	32		27	1	1	1	2	27.0		27		3	1			1
	2021	34		27	1	2	4		6.8		27			3	1		3
	2022	35		28	1	4	2		14.0		26	2	3	2			2
	2023	33		25	2	2	4		6.3		21	1	6	4		1	
	2024	40		32	2	1	3	2	10.7		29	3	1	2	1	2	2
	2025	30		27	1	1	1		27.0		20	4	2	1			3
前立腺	2016	104		33	34	14	21	2	1.6		4	13	10	2	2		73
	2017	112		49	26	19	16	2	3.1		1	12	3		2		94
	2018	78		29	17	19	11	2	2.6		1	7	2				68
	2019	91		43	16	18	11	3	3.9		3	17	1		4		66
	2020	108		48	17	25	16	2	3.0		6	14	2	1	2		83
	2021	80		32	14	20	12	2	2.7		5	10	2				63
	2022	104		41	16	24	21	2	2.0			18	9	2	1		74
	2023	112		40	25	24	19	4	2.1			14	7		1		90
	2024	77		27	26	6	15	3	1.8			10	7				60
	2025	90		46	9	14	21		2.2		1	16	5		4		64



原発部位	診断年	初発診断数	進展度(治療前)							進展度(術後病理学的)								手術なし
			上皮内	限局	領域リンパ節転移	隣接臓器浸潤	遠隔転移	不明 該当なし	限局率	上皮内	限局	領域リンパ節転移	隣接臓器浸潤	遠隔転移	術前治療あり	不明 該当なし	限局率	
食道	2016	28	6	10	2	5	5		57.1%	7	6		1	1	3		72.2%	10
	2017	30	4	7		10	9		36.7%	4	5		2		3		64.3%	16
	2018	32	6	8	4	9	5		43.8%	6	7	1			8		59.1%	10
	2019	34	6	11	3	11	2	1	50.0%	7	4		1		4		68.8%	18
	2020	28	2	8		11	6	1	35.7%	1	7		3		4		53.3%	13
	2021	28		11		7	9	1	39.3%	1	7		3		2		61.5%	15
	2022	24		9	2	7	3	3	37.5%		9		2		3		64.3%	10
	2023	38	2	13	4	5	8	6	39.5%	3	9	1	2		3		66.7%	20
	2024	28	1	10		6	11		39.3%		8				5		61.5%	15
	2025	28	1	8	4	7	7	1	32.1%		5		1		7		38.5%	15
胃	2016	142		87	13	18	16	8	61.3%		70	20	13	9	2		61.4%	28
	2017	162		115	7	15	24	1	71.0%		93	11	12	7	4		73.2%	35
	2018	153		101	10	15	25	2	66.0%		86	21	6	8	5		68.3%	27
	2019	138		92	6	9	21	10	66.7%		78	6	12	4	7		72.9%	31
	2020	113		65	8	17	15	8	57.5%		50	14	9	5	4		61.0%	31
	2021	98		50	9	12	22	5	51.0%		40	14	4	2	8		58.8%	30
	2022	91		59	7	10	14	1	64.8%		49	9	7	1	7		67.1%	18
	2023	119		71	7	9	24	8	59.7%		57	9	6	5	6		68.7%	36
	2024	123		66	6	4	30	17	53.7%		57	9	8	3	5		69.5%	41
	2025	122		63	6	10	24	19	51.6%		63	9	5	2	6		74.1%	37
大腸 (結腸＋直腸)	2016	149	22	67	12	13	25	10	59.7%	24	61	21	9	15	5		63.0%	14
	2017	151	23	68	7	23	27	3	60.3%	26	56	17	11	21	6		59.9%	14
	2018	165	19	65	16	33	27	5	50.9%	32	52	26	15	14	11		56.0%	15
	2019	160	29	59	17	24	23	8	55.0%	36	53	20	10	11	10	1	63.1%	19
	2020	164	25	62	18	22	31	6	53.0%	27	67	15	11	18	7		64.8%	19
	2021	193	18	85	18	25	41	6	53.4%	22	78	26	13	20	12		58.5%	22
	2022	142	13	49	11	28	35	6	43.7%	14	47	24	12	11	7		53.0%	27
	2023	166	19	56	14	29	23	25	45.2%	24	54	30	8	10	12		56.5%	28
	2024	201	31	68	21	25	39	17	49.3%	31	74	24	6	27	7		62.1%	32
	2025	177	30	46	18	18	39	26	42.9%	32	63	15	14	18	9	1	62.5%	25
肝	2016	25		15		6	2	2	60.0%		9		1				90.0%	15
	2017	28		24		3	1		85.7%		11						100.0%	17
	2018	30		21		5	1	3	70.0%		13		2				86.7%	15
	2019	16		12			3	1	75.0%		5			1	1		71.4%	9
	2020	26		21		1	4		80.8%		7		1		2		70.0%	16
	2021	34		26		2		6	76.5%		17		1		1		89.5%	15
	2022	18		17	1				94.4%		11						100.0%	7
	2023	22		16		4	2		72.7%		10						100.0%	12
	2024	22		18		2	1	1	81.8%		13				1		92.9%	8
	2025	19		10		2	3	4	52.6%		5				3		62.5%	11
膵	2016	39		6		11	21	1	15.4%		3		8	3	1		20.0%	24
	2017	49		1		21	24	3	2.0%		1		9	1	3		7.1%	35
	2018	50		16	2	7	25		32.0%		2	8	2	3	4		10.5%	31
	2019	48		16	1	4	26	1	33.3%		4	4	4	3	4		21.1%	29
	2020	44		7	2	9	26		15.9%		2	3	1		3		22.2%	35
	2021	35		11		7	15	2	31.4%			2	2		5		0.0%	26
	2022	40	1	10	2	6	20	1	27.5%	2	2	1			4		44.4%	31
	2023	52		20	3	5	20	4	38.5%		1	1	3		12		5.9%	35
	2024	60		17	3	8	30	2	28.3%	1	2	4	1	1	12		14.3%	39
	2025	69		19	5	7	33	5	27.5%		9	4	5	2	4		37.5%	45



原発部位	診断年	初発診断数	進展度(治療前)							進展度(術後病理学的)								手術なし
			上皮内	限局	領域リンパ節転移	隣接臓器浸潤	遠隔転移	不明該当なし	限局率	上皮内	限局	領域リンパ節転移	隣接臓器浸潤	遠隔転移	術前治療あり	不明該当なし	限局率	
肺	2016	186		98	14	8	61	5	52.7%		73	8	3	11	4		73.7%	87
	2017	206		87	29	16	70	4	42.2%		65	18	3	6	2		69.1%	112
	2018	203		85	14	29	64	11	41.9%	2	66	13	10	5	4	1	67.3%	102
	2019	221	6	95	12	22	79	7	45.7%	8	81	12	5	7	2		77.4%	106
	2020	187		81	9	28	66	3	43.3%	4	65	5	10	2	2		78.4%	99
	2021	186	2	86	12	25	49	12	47.3%	7	70	11	12	6	2		71.3%	78
	2022	177	1	74	13	16	70	3	42.4%	2	69	3	9	1			84.5%	93
	2023	196	2	83	12	21	68	10	43.4%	2	67	10	6	3	4	1	74.2%	103
	2024	207	4	92	10	19	64	18	46.4%	10	70	7	6	5	3		79.2%	106
	2025	156	1	74	16	9	46	10	48.1%	4	55	14	3	6	3		69.4%	71
乳房	2016	144	24	87	15	6	11	1	77.1%	15	70	22	3	2	23		63.0%	9
	2017	137	26	74	18	8	5	6	73.0%	21	59	15	3		28	3	62.0%	8
	2018	111	16	67	13	3	5	7	74.8%	17	46	6	1		31		62.4%	10
	2019	152	20	95	17	8	9	3	75.7%	18	68	18	3		34		61.0%	11
	2020	147	19	84	19	11	8	6	70.1%	18	60	12	4		36		60.0%	17
	2021	149	20	85	20	12	9	3	70.5%	20	52	19	4		38		54.1%	16
	2022	200	32	114	27	10	16	1	73.0%	22	78	17	1		58		56.3%	24
	2023	204	47	102	16	7	9	23	73.0%	40	83	25	1	1	34	1	66.5%	19
	2024	228	38	126	28	7	13	16	71.9%	36	100	19	5		46	1	65.7%	21
	2025	223	33	129	14	5	20	22	72.6%	27	101	19	4		44	1	65.3%	27
子宮頸部	2016	132	93	14	2	11	8	4	81.1%	92	12	2	5	2	3		89.7%	16
	2017	108	74	9		24	1		76.9%	69	10	2	5	1	3		87.8%	18
	2018	94	65	8	1	17	2	1	77.7%	58	10		5		2	1	89.5%	18
	2019	81	50	9		17	5		72.8%	47	4	1	3		4		86.4%	22
	2020	78	57	9	1	6	4	1	84.6%	55	8	2	2		2		91.3%	9
	2021	82	58	8		15	1		80.5%	53	8	2	4		3		87.1%	12
	2022	84	53	5	1	23		2	69.0%	50	6	1	1		2		93.3%	24
	2023	71	37	10		23		1	66.2%	29	12		3		1		91.1%	26
	2024	58	37	5	1	11	3	1	72.4%	35	5	1		1			95.2%	16
	2025	52	29	3	2	15	1	2	61.5%	26	3		4				87.9%	19
子宮体部	2016	31		22		7		2	71.0%		21		6	1			75.0%	3
	2017	18		13		2	1	2	72.2%		12	1	3				75.0%	2
	2018	31		28		2	1		90.3%		20	1	5	1	1		71.4%	3
	2019	23		18	1	3	1		78.3%		17		5		1		73.9%	
	2020	32		27		2	1	2	84.4%		27		3	1			87.1%	1
	2021	34		27		3	4		79.4%		27			3	1		87.1%	3
	2022	35		28	2	3	2		80.0%		26	2	3	2			78.8%	2
	2023	33		25		4	4		75.8%		21	1	6	4	1		63.6%	
	2024	40		33		3	4		82.5%		29		5	2	2		76.3%	2
	2025	30		27		2	1		90.0%		20	1	5	1			74.1%	3
前立腺	2016	104		67	3	17	15	2	64.4%		17	1	11		2		54.8%	73
	2017	112		75		21	14	2	67.0%		13		3		2		72.2%	94
	2018	78		46		20	10	2	59.0%		8		2				80.0%	68
	2019	91		59	1	22	6	3	64.8%		20		1		4		80.0%	66
	2020	108		66	3	26	12	1	61.1%		20	1	2		2		80.0%	83
	2021	80		47		21	11	1	58.8%		15		2				88.2%	63
	2022	104		57	2	25	18	2	54.8%		18	1	9	1	1		60.0%	74
	2023	112		65		28	15	4	58.0%		14		7		1		63.6%	90
	2024	77		53		9	12	3	68.8%		10		7				58.8%	60
	2025	90		55	1	17	17		61.1%		17		5		4		65.4%	64



原発部位	診断年	初発診断数	手術（原発巣切除）					手術治療の結果			手術なし
				実施率	外科的治療	鏡視下の治療	内視鏡的治療	治癒切除	非治癒切除	治癒・非治癒不明	
食道	2016	28	18	64.3%	4	4	10	16	2		10
	2017	30	14	46.7%	4	3	7	14			16
	2018	32	21	65.6%	3	7	11	20	1		11
	2019	34	14	41.2%	1	4	9	13	1		20
	2020	28	15	53.6%		8	7	15			13
	2021	28	12	42.9%		6	6	8	4		16
	2022	24	13	54.2%		8	5	13			11
	2023	38	16	42.1%	1	3	12	11	5		22
	2024	28	10	35.7%		3	8	10			18
	2025	28	13	46.4%		8	5	12	1		15
胃	2016	142	113	79.6%	56	20	38	103	10		29
	2017	162	127	78.4%	56	28	51	120	7		35
	2018	153	122	79.7%	59	25	43	113	9		31
	2019	138	105	76.1%	32	21	52	102	3		33
	2020	113	79	69.9%	33	16	33	74	5		34
	2021	98	65	66.3%	24	21	21	61	4		33
	2022	91	71	78.0%	24	20	32	69	2		20
	2023	119	76	63.9%	22	35	25	73	3		43
	2024	123	79	64.2%	10	36	37	72	7		44
	2025	122	81	66.4%	6	43	38	77	4		41
大腸（結腸＋直腸）	2016	149	134	89.9%	30	73	39	116	18		15
	2017	151	136	90.1%	27	75	39	126	10		15
	2018	165	147	89.1%	25	88	39	132	15		18
	2019	160	140	87.5%	25	70	41	133	7		20
	2020	164	144	87.8%	36	76	40	118	26		20
	2021	193	167	86.5%	25	113	40	138	29		26
	2022	142	114	80.3%	24	74	19	100	14		28
	2023	166	137	82.5%	18	96	29	125	12		29
	2024	201	167	83.1%	32	90	52	141	26		34
	2025	177	148	83.6%	34	79	43	130	17	1	29
肝	2016	25	10	40.0%	9	1		10			15
	2017	28	11	39.3%	9	2		11			17
	2018	30	15	50.0%	10	5		14	1		15
	2019	16	6	37.5%	6			5	1		10
	2020	26	8	30.8%	7	1		8			18
	2021	34	19	55.9%	13	6		17	2		15
	2022	18	11	61.1%	11			8	3		7
	2023	22	10	45.5%	4	6		10			12
	2024	22	13	59.1%	3	10		12	1		9
	2025	19	7	36.8%	3	4		7			12
膵	2016	39	15	38.5%	15			11	4		24
	2017	49	14	28.6%	14			10	4		35
	2018	50	18	36.0%	17	1		15	3		32
	2019	48	19	39.6%	18	1		16	3		29
	2020	44	9	20.5%	9			7	2		35
	2021	35	8	22.9%	8			8			27
	2022	40	9	22.5%	9			6	3		31
	2023	52	16	30.8%	16			15	1		36
	2024	60	20	33.3%	19	1		19	1		40
	2025	69	24	34.8%	19	5		16	8		45

主要部位別_診断年別_初回治療別_件数（上皮内がんを含む）（初発のみ）

【2】4

原発部位	診断年	初発診断数	放射線治療		化学療法		内分泌療法		治療法併用				
				実施率		実施率		実施率	手術 + 放射線 + 化学	手術 + 放射線	手術 + 化学	手術 + 内分泌	放射線 + 化学
食道	2016	28	11	39.3%	9	32.1%			2		1		6
	2017	30	13	43.3%	15	50.0%					3		11
	2018	32	9	28.1%	17	53.1%			1		7		8
	2019	34	14	41.2%	14	41.2%			1		1		9
	2020	28	10	35.7%	17	60.7%			2		4		7
	2021	28	9	32.1%	17	60.7%			1	1	2		7
	2022	24	2	8.3%	9	37.5%					2		2
	2023	38	10	26.3%	18	47.4%			2		2		7
	2024	28	5	17.9%	15	53.6%					2		4
	2025	28	12	42.9%	19	67.9%				1	8		9
胃	2016	142	3	2.1%	35	24.6%					25		1
	2017	162	3	1.9%	40	24.7%			1		21		2
	2018	153	5	3.3%	26	17.0%			1		13		1
	2019	138	2	1.4%	34	24.6%			1		18		1
	2020	113	1	0.9%	29	25.7%					20		1
	2021	98	4	4.1%	37	37.8%					22		1
	2022	91	4	4.4%	26	28.6%					19		2
	2023	119	4	3.4%	31	26.1%					14		
	2024	123	5	4.1%	34	27.6%					20		
	2025	122	13	10.7%	28	23.0%					14		
大腸（結腸 + 直腸）	2016	149	7	4.7%	53	35.6%			3		41		4
	2017	151	4	2.6%	55	36.4%			1		46		2
	2018	165	7	4.2%	50	30.3%			4	1	39		1
	2019	160	7	4.4%	55	34.4%			5		38		2
	2020	164	7	4.3%	64	39.0%			3	1	51		3
	2021	193	13	6.7%	85	44.0%			7		60		5
	2022	142	8	5.6%	53	37.3%			2	1	38		2
	2023	166	10	6.0%	59	35.5%			5		44		3
	2024	201	10	5.0%	62	30.8%			2	1	46		5
	2025	177	13	7.3%	53	29.9%			4		30		5
肝	2016	25	1	4.0%	2	8.0%							
	2017	28	1	3.6%	4	14.3%							
	2018	30	2	6.7%	3	10.0%							
	2019	16	2	12.5%	7	43.8%					1		1
	2020	26	5	19.2%	8	30.8%							1
	2021	34	1	2.9%	5	14.7%							
	2022	18			4	22.2%							
	2023	22	3	13.6%	7	31.8%							1
	2024	22			5	22.7%							
	2025	19			1	5.3%							
膵	2016	39	5	12.8%	25	64.1%					10		4
	2017	49	4	8.2%	30	61.2%			1		10		2
	2018	50	4	8.0%	30	60.0%					10		4
	2019	48	2	4.2%	33	68.8%			2		12		
	2020	44	3	6.8%	31	70.5%					7		3
	2021	35	1	2.9%	25	71.4%					7		1
	2022	40		0.0%	22	55.0%					4		
	2023	52	1	1.9%	32	61.5%					13		1
	2024	60	3	5.0%	36	60.0%					15		
	2025	69	1	1.4%	36	52.2%					12		

原発部位	診断年	初発診断数	手術（原発巣切除）					手術治療の結果			手術なし
				実施率	外科的治療	鏡視下の治療	内視鏡的治療	治癒切除	非治癒切除	治癒・非治癒不明	
肺	2016	186	99	53.2%		99		87	12		87
	2017	206	94	45.6%	5	89		86	8		112
	2018	203	100	49.3%	2	98		94	6		103
	2019	221	114	51.6%	4	110		109	5		107
	2020	187	87	46.5%	2	85		84	3		100
	2021	186	107	57.5%	1	106		97	10		79
	2022	177	84	47.5%	1	83		77	7		93
	2023	196	91	46.4%	1	90		89	1	1	105
	2024	207	99	47.8%		99		94	5		108
	2025	156	85	54.5%	1	84		80	5		71
乳房	2016	144	93	64.6%	93			87	6		51
	2017	137	86	62.8%	86			84	2		51
	2018	111	81	73.0%	81			78	3		30
	2019	152	91	59.9%	91			90	1		61
	2020	147	83	56.5%	83			81	2		64
	2021	149	115	77.2%	115			113	2		34
	2022	200	155	77.5%	155			149	6		45
	2023	204	160	78.4%	160			153	6	1	44
	2024	228	176	77.2%	176			174	2		52
	2025	223	168	75.3%	168			166	2		55
子宮頸部	2016	132	113	85.6%	102	11		93	20		19
	2017	108	89	82.4%	89			78	11		19
	2018	94	76	80.9%	75	1		67	9		18
	2019	81	59	72.8%	45	14		56	2	1	22
	2020	78	68	87.2%	57	13		67	1		10
	2021	82	68	82.9%	53	15		66	2		14
	2022	84	59	70.2%	42	17		55	4		25
	2023	71	42	59.2%	26	16		35	5	2	29
	2024	58	41	70.7%	19	22		39	2		17
	2025	52	29	55.8%	20	9		28	1		23
子宮体部	2016	31	28	90.3%	19	10		27	1		3
	2017	18	15	83.3%	15			14	1		3
	2018	31	28	90.3%	17	10	1	27	1		3
	2019	23	23	100.0%	10	13		23			
	2020	32	31	96.9%	13	17	1	28	3		1
	2021	34	31	91.2%	14	16	2	26	4	1	3
	2022	35	33	94.3%	19	14		31	2		2
	2023	33	32	97.0%	15	17		28	4		1
	2024	40	37	92.5%	18	19		35	1	1	3
	2025	30	27	90.0%	6	21		27			3
前立腺	2016	104	31	29.8%		31		22	9		73
	2017	112	18	16.1%	12	5	1	9	9		94
	2018	78	9	11.5%		9		8	1		69
	2019	91	25	27.5%		24	1	25			66
	2020	108	25	23.1%		21	4	24	1		83
	2021	80	17	21.3%		17		17			63
	2022	104	30	28.8%		30		21	9		74
	2023	112	22	19.6%		20	2	13	9		90
	2024	77	17	22.1%	1	15	1	11	6		60
	2025	90	26	28.9%		25	1	21	5		64

原発部位	診断年	初発診断数	放射線治療		化学療法		内分泌療法		治療法併用				
				実施率		実施率		実施率	手術 + 放射線 + 化学	手術 + 放射線	手術 + 化学	手術 + 内分泌	放射線 + 化学
肺	2016	186	29	15.6%	90	48.4%			1	3	42		14
	2017	206	20	9.7%	108	52.4%			2	1	46		8
	2018	203	31	15.3%	93	45.8%			2	1	36		13
	2019	221	28	12.7%	106	48.0%			3		34		15
	2020	187	17	9.1%	89	47.6%				1	28		11
	2021	186	30	16.1%	75	40.3%			5		31		13
	2022	177	37	20.9%	66	37.3%			1	1	21		17
	2023	196	45	23.0%	85	43.4%			1	2	25		24
	2024	207	32	15.5%	87	42.0%			1	1	31		10
	2025	156	27	17.3%	63	40.4%			3	1	28		11
乳房	2016	144	102	70.8%	34	23.6%	73	50.7%	19	41	9	18	1
	2017	137	93	67.9%	32	23.4%	61	44.5%	12	37	15	16	2
	2018	111	50	45.0%	37	33.3%	36	32.4%	10	20	23	18	
	2019	152	102	67.1%	47	30.9%	66	43.4%	20	31	19	16	3
	2020	147	74	50.3%	52	35.4%	57	38.8%	13	13	26	19	3
	2021	149	64	43.0%	46	30.9%	83	55.7%	18	27	20	31	3
	2022	200	67	33.5%	71	35.5%	108	54.0%	20	22	38	55	5
	2023	204	63	30.9%	74	36.3%	98	48.0%	13	28	49	38	1
	2024	228	76	33.3%	85	37.3%	114	50.0%	27	15	43	50	5
	2025	223	85	38.1%	88	39.5%	114	51.1%	28	31	45	37	2
子宮頸部	2016	132	20	15.2%	20	15.2%			5		10		4
	2017	108	15	13.9%	22	20.4%					14		7
	2018	94	13	13.8%	11	11.7%					8		3
	2019	81	24	29.6%	13	16.0%			4	2	4		5
	2020	78	13	16.7%	13	16.7%			3	1	5		4
	2021	82	14	17.1%	14	17.1%			3		7		4
	2022	84	25	29.8%	12	14.3%			2	2	1		9
	2023	71	28	39.4%	14	19.7%			1	2	1		12
	2024	58	15	25.9%	11	19.0%					3		7
	2025	52	22	42.3%	6	11.5%			1				5
子宮体部	2016	31	2	6.5%	13	41.9%				1	13		
	2017	18	2	11.1%	5	27.8%			1		3		
	2018	31			9	29.0%					8		
	2019	23			10	43.5%					10		
	2020	32			7	21.9%					7		
	2021	34	1	2.9%	15	44.1%					13		1
	2022	35			15	42.9%	2	5.7%			15		
	2023	33	2	6.1%	15	45.5%				1	14		1
	2024	40			14	35.0%					12		
	2025	30	2	6.7%	10	33.3%					10		
前立腺	2016	104	30	28.8%	5	4.8%	50	48.1%		4		4	1
	2017	112	47	42.0%	1	0.9%	47	42.0%				3	
	2018	78	38	48.7%	1	1.3%	32	41.0%				4	
	2019	91	35	38.5%			42	46.2%				4	
	2020	108	43	39.8%			55	50.9%		1		3	
	2021	80	29	36.3%			36	45.0%					
	2022	104	36	34.6%	4	3.8%	42	40.4%			1	1	
	2023	112	43	38.4%	1	0.9%	35	31.3%				1	
	2024	77	33	42.9%	2	2.6%	35	45.5%					
	2025	90	28	31.1%	2	2.2%	48	53.3%				7	1